



Sonde

# Accessibility Health Check

<https://kingcounty.gov>

943



Excellent

April 28, 2026

Provided free by Sonde

<https://daylight.sonde.life/usgov/kingcounty-gov/>

---

**12** pages | **292** findings | **18** critical | **50** high | **209** medium | **15** low | **24.3** avg/page |  
**12,527** elements | **85** with findings | **99.3%** ECR | **3m 9s** total | **15.8s** per page

---

# Top Findings

[Copy a direct link to share a finding](#) · [Open a discussion to give feedback on a finding](#)

**Insufficient color contrast: 1.00:1 (required: 3:1 for large text).**

**CRITICAL** Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: WCAG 1.4.3 [🔗](#)

"expand\_more"

Page: / [WCAG 1.4.3](#)

**Element:**

```
<span tabindex="0" id="heroScrollTo" class="material-icons scroll-down-arrow" translate="no">expand_more</span>
```

**1.00:1** x CURRENT **3.03:1** ✓ SUGGESTED

#ffffff on  #ffffff →  #959494 on  #ffffff

**SONDE FIX PLAN**  
Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

**Insufficient color contrast: 1.00:1 (required: 3:1 for large text).**

**CRITICAL** Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: WCAG 1.4.3 [🔗](#)

"King County Disaster Recovery Center runs April 28 - June 10"

Page: / [WCAG 1.4.3](#)

**Element:**

```
<h3 class="hero-title">
  King County Disaster Recovery Center runs April 28 - June 10
</h3>
```

**1.00:1** x CURRENT **3.03:1** ✓ SUGGESTED

#ffffff on  #ffffff →  #959494 on  #ffffff

**SONDE FIX PLAN**  
Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

**Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text).**

**CRITICAL** Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: WCAG 1.4.3 [🔗](#)

"King County's Disaster Recovery Center is now available to h"

Page: / [WCAG 1.4.3](#)

**Element:**

<p class="hero-text">

King County's Disaster Recovery Center is now available to help residents impacted by December's flooding with applications for federal disaster assistance

**1.00:1** x CURRENT

**4.53:1** ✓ SUGGESTED



#ffffff on  #ffffff

#777676 on  #ffffff



**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

Insufficient color contrast: 1.72:1 (required: 4.5:1 for normal text).

**CRITICAL**

Foreground: rgb(68, 68, 68), background: rgb(24, 112, 137). Text: "Translate"

WCAG 1.4.3 ⓘ

Page: [/en/calendar](#) [WCAG 1.4.3](#)

**Element:**

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGpd" href="https://translate.google.com" target="_blank">
```

**1.72:1** x CURRENT

**4.52:1** ✓ SUGGESTED



#444444 on  #187089

#e6e6e5 on  #187089



**SONDE FIX PLAN**

Current ratio: 1.72:1 (need 4.5:1). Change foreground from #444444 to #e6e6e5 (ratio: 4.5:1).

Insufficient color contrast: 1.02:1 (required: 4.5:1 for normal text).

**CRITICAL**

Foreground: rgb(102, 102, 102), background: rgb(24, 112, 137). Text: "Select LanguageAbkhazAcehneseAcholiAfarAfrikaansAlbanianAlur"

WCAG 1.4.3 ⓘ


Page: [/en/calendar](#) [WCAG 1.4.3](#)

**Element:**

```
<div class="skiptranslate goog-te-gadget" dir="ltr" style=""><div id=":0.targetLanguage"><select class="goog-te-combo" aria-label="Language Translate Widget"><option value="">Select Language</option></div>
```

**1.02:1** x CURRENT

**4.52:1** ✓ SUGGESTED



#666666 on  #187089

#e6e6e5 on  #187089



**SONDE FIX PLAN**

Current ratio: 1.02:1 (need 4.5:1). Change foreground from #666666 to #e6e6e5 (ratio: 4.5:1). Or change background from #187089 to #000000.

**HIGH**

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: / [WCAG 1.1.1](#)

**Element:**

```
<!-- a11y: role="image" -->
```



**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH**

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: / [WCAG 1.1.1](#)

**Element:**

```
<!-- a11y: role="image" -->
```



**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH**

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: / [WCAG 1.1.1](#)

**Element:**

```
<!-- a11y: role="image" -->
```



**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH**

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.


WCAG 1.1.1




Page: / [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```


 **SONDE FIX PLAN**  
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.


**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: /en [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```


 **SONDE FIX PLAN**  
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.


**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: /en [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```


 **SONDE FIX PLAN**  
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.




**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: /en [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```


 **SONDE FIX PLAN**  
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.




**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1   

Page: [/en](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```


 **SONDE FIX PLAN**  
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.




**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1   

Page: [/en/404](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```


 **SONDE FIX PLAN**  
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.




**HIGH** Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1   

Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) [WCAG 1.3.1](#)

Element:

```
<!-- a11y: role="heading" -->
```


 **SONDE FIX PLAN**  
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1   


Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </en/calendar> [WCAG 1.1.1](#)


Element:

```
<!-- a11y: role="image" -->
```



**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH** Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1 

Page: </en/categories/about-king-county> [WCAG 1.3.1](#)


Element:

```
<!-- a11y: role="heading" -->
```



**SONDE FIX PLAN**

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </en/categories/about-king-county> [WCAG 1.1.1](#)


Element:

```
<!-- a11y: role="image" -->
```



**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH** Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

**HIGH**

Empty heading (role="heading"). Headings must contain text for screen reader navigation to work.

WCAG 1.3.1



**Page:** </en/categories/buildings-property> [WCAG 1.3.1](#)

**Element:**

```
<!-- a11y: role="heading" -->
```



**SONDE FIX PLAN**

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

**HIGH**

<html> element must have a lang attribute: Fix any of the following:  
The <html> element does not have a lang attribute

WCAG 3.1.1



**Page:** </en/404/404-folder-test-js> [WCAG 3.1.1](#)

**Element:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&user=extranet%5cAnonymous&site=KCGov">he...
```



**SONDE FIX PLAN**

Ensure every HTML document has a lang attribute. See: <https://www.w3.org/WAI/WCAG22/Understanding/language-of-page> Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

**HIGH**

<html> element must have a lang attribute: Fix any of the following:  
The <html> element does not have a lang attribute

WCAG 3.1.1



**Page:** </en/categories> [WCAG 3.1.1](#)

**Element:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&user=extranet%5cAnonymous&site=KCGov">here</a>.</h2>
...
```



**SONDE FIX PLAN**

Ensure every HTML document has a lang attribute. See: <https://www.w3.org/WAI/WCAG22/Understanding/language-of-page> Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH

<li> elements must be contained in a <ul> or <ol>: Fix any of the following:  
List item does not have a <ul>, <ol> parent element

WCAG 1.3.1



Page: </en/categories/animals-pets-pests> WCAG 1.3.1

Element:

```
<li class="page-item"><button class="page-link">2</button></li>
```



**SONDE FIX PLAN**

Ensure <li> elements are used semantically. See: <https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3



Page: </en/categories/animals-pets-pests> WCAG 1.4.3

Element:

```
<button id="next" class="page-link">Next</button>
```



**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum> Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

HIGH

<ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: span

WCAG 1.3.1



Page: </en/categories/animals-pets-pests> WCAG 1.3.1

Element:

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-top: 20px;">
```



**SONDE FIX PLAN**

Ensure that lists are structured correctly. See: <https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH** <li> elements must be contained in a <ul> or <ol>: Fix any of the following: WCAG 1.3.1 ⚡


List item does not have a <ul>, <ol> parent element

---

**Page:** </en/categories/animals-pets-pests> WCAG 1.3.1

**Element:**

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```

 **SONDE FIX PLAN**  
Ensure <li> elements are used semantically. See: <https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH** <li> elements must be contained in a <ul> or <ol>: Fix any of the following: WCAG 1.3.1 ⚡


List item does not have a <ul>, <ol> parent element

---

**Page:** </en/categories/animals-pets-pests> WCAG 1.3.1

**Element:**

```
<li class="page-item"><button class="page-link">3</button></li>
```

 **SONDE FIX PLAN**  
Ensure <li> elements are used semantically. See: <https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>


**HIGH** Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3 🔍 ⚡

---

**Page:** </en/categories/buildings-property> WCAG 1.4.3

**Element:**

```
<button id="next" class="page-link">Next</button>
```

 **SONDE FIX PLAN**  
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum> Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

**HIGH** <li> elements must be contained in a <ul> or <ol>: Fix any of the following: WCAG 1.3.1 ⚡

List item does not have a <ul>, <ol> parent element

---

**Page:** </en/categories/buildings-property> WCAG 1.3.1

**Element:**

```
<li class="page-item"><button class="page-link">2</button></li>
```



**SONDE FIX PLAN**

Ensure <li> elements are used semantically. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH**

<li> elements must be contained in a <ul> or <ol>: Fix any of the following:

WCAG 1.3.1

List item does not have a <ul>, <ol> parent element

**Page:** </en/categories/buildings-property> [WCAG 1.3.1](#)

**Element:**

```
<li class="page-item"><button class="page-link">11</button></li>
```



**SONDE FIX PLAN**

Ensure <li> elements are used semantically. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH**

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.Opt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

**Page:** </en/categories/buildings-property> [WCAG 1.4.3](#)

**Element:**

```
<button class="page-link">11</button>
```



**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

**HIGH**

<ul> and <ol> must only directly contain <li>, <script> or <template>

elements: Fix all of the following: List element has direct children that are not allowed: span

WCAG 1.3.1

**Page:** </en/categories/buildings-property> [WCAG 1.3.1](#)

**Element:**

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-top: 20px;">
```



**SONDE FIX PLAN**

Ensure that lists are structured correctly. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH**

<li> elements must be contained in a <ul> or <ol>: Fix any of the following:

WCAG 1.3.1

List item does not have a <ul>, <ol> parent element

**Page:** </en/categories/buildings-property> WCAG 1.3.1

**Element:**

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```



**SONDE FIX PLAN**

Ensure <li> elements are used semantically. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH**

<li> elements must be contained in a <ul> or <ol>: Fix any of the following:

WCAG 1.3.1

List item does not have a <ul>, <ol> parent element

**Page:** </en/categories/buildings-property> WCAG 1.3.1

**Element:**

```
<li class="page-item disabled"><button disabled="" class="disabled page-link">...</button></li>
```



**SONDE FIX PLAN**

Ensure <li> elements are used semantically. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH**

<li> elements must be contained in a <ul> or <ol>: Fix any of the following:

WCAG 1.3.1

List item does not have a <ul>, <ol> parent element

**Page:** </en/categories/buildings-property> WCAG 1.3.1

**Element:**

```
<li class="page-item"><button class="page-link">3</button></li>
```



**SONDE FIX PLAN**

Ensure <li> elements are used semantically. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

**HIGH**

Console error: Uncaught TypeError: Cannot read properties of null (reading 'addEventListener')

**Page:** </en/categories/about-king-county>

Source: <https://cds.kingcounty.gov/index.js:40> **MEDIUM**



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH**

Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: [/](#) [WCAG 2.4.3](#)

**Element:**

```
<a>Here's how you know</a>
```



**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

**HIGH**

Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: [/en](#) [WCAG 2.4.3](#)

**Element:**

```
<a></a>
```



**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

**HIGH**

Focus jumps backward from "Universal Design bookletDigital 182026" to "Local Nav Category +" (visual distance: 882px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) [WCAG 2.4.3](#)

**Element:**

```
<a>Local Nav Category +</a>
```



**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

Focus jumps backward from "Skip to main content" to "header > div > **HIGH** div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**Page:** </en/categories/buildings-property> WCAG 2.4.3

**Element:**

```
<a></a>
```

**SONDE FIX PLAN**  
Reorder elements in the DOM to match the visual layout.

Focus jumps backward from "Skip to main content" to "header > div > **HIGH** div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 2.4.3

**Element:**

```
<a></a>
```

**SONDE FIX PLAN**  
Reorder elements in the DOM to match the visual layout.

**HIGH** Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5




**Page:** </en/404/404-folder-test-js> WCAG 2.4.5

**SONDE FIX PLAN**  
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.


**HIGH** Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5




**Page:** </en/categories> WCAG 2.4.5

**SONDE FIX PLAN**  
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.


**HIGH** Missing Strict-Transport-Security header (HSTS)   




Page: [/](#)

 **SONDE FIX PLAN**  
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


**HIGH** Missing Strict-Transport-Security header (HSTS)   




Page: [/en](#)

 **SONDE FIX PLAN**  
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


**HIGH** Missing Strict-Transport-Security header (HSTS)   




Page: [/en/404](#)

 **SONDE FIX PLAN**  
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


**HIGH** Missing Strict-Transport-Security header (HSTS)   

Page: [/en/404/404-folder-test-js](#)

 **SONDE FIX PLAN**  
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH** Missing Strict-Transport-Security header (HSTS)   

Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#)

 **SONDE FIX PLAN**  
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy

header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH** Missing Strict-Transport-Security header (HSTS)



Page: </en/calendar>



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH** Missing Strict-Transport-Security header (HSTS)



Page: </en/categories>



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH** Missing Strict-Transport-Security header (HSTS)



Page: </en/categories/about-king-county/about-prosecuting-attorneys-office>



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH** Missing Strict-Transport-Security header (HSTS)



Page: </en/categories/animals-pets-pests>



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH** Missing Strict-Transport-Security header (HSTS)



Page: </en/categories/buildings-property>



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**HIGH**

**Missing Strict-Transport-Security header (HSTS)**



**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use>



**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

**MEDIUM**

**Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.**

WCAG 4.1.2



**Page:** [/](#) [WCAG 4.1.2](#)

**Element:**

```
<!-- a11y: role="generic" -->
```



**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

**MEDIUM**

**Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.**

WCAG 1.3.1



**Page:** [/](#) [WCAG 1.3.1](#)

**Element:**

```
<!-- 2 navigation landmarks, 1 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

**MEDIUM**

**Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.**

WCAG 1.3.1



**Page:** </en> [WCAG 1.3.1](#)

**Element:**

```
<!-- 2 navigation landmarks, 1 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

**MEDIUM**

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: [/en](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

**MEDIUM**

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: [/en/404](#) [WCAG 1.3.1](#)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

**MEDIUM**

Page has 3 "complementary" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) [WCAG 1.3.1](#)

Element:

```
<!-- 3 complementary landmarks, 1 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

**MEDIUM**

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/404/404-folder-test-js/test-page-for-pdf-publishing> WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels.  
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/calendar> WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels.  
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/calendar> WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels.  
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/categories/about-king-county> WCAG 1.3.1




Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```



**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.


**MEDIUM** Page has 2 "complementary" landmarks but only 0 have distinct labels. WCAG 1.3.1   




Screen reader users cannot distinguish between them.

**Page:** </en/categories/about-king-county> WCAG 1.3.1

**Element:**

```
<!-- 2 complementary landmarks, 0 labeled -->
```

 **SONDE FIX PLAN**  
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.


**MEDIUM** Page has 3 "navigation" landmarks but only 2 have distinct labels. WCAG 1.3.1   




Screen reader users cannot distinguish between them.

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.3.1

**Element:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

 **SONDE FIX PLAN**  
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.


**MEDIUM** Page has 2 "complementary" landmarks but only 0 have distinct labels. WCAG 1.3.1   




Screen reader users cannot distinguish between them.

**Page:** </en/categories/animals-pets-pests> WCAG 1.3.1

**Element:**

```
<!-- 2 complementary landmarks, 0 labeled -->
```

 **SONDE FIX PLAN**  
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.


**MEDIUM** Page has 3 "navigation" landmarks but only 2 have distinct labels. WCAG 1.3.1   

Screen reader users cannot distinguish between them.

**Page:** </en/categories/animals-pets-pests> WCAG 1.3.1

**Element:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

 **SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels.  
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/categories/buildings-property> [WCAG 1.3.1](#)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```



SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels.  
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/categories/buildings-property> [WCAG 1.3.1](#)

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```



SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels.  
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </en/categories/buildings-property/permits-inspections-codes-building-land-use> [WCAG 1.3.1](#)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```



SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h3 class="hero-title">
```

```
    King County Disaster Recovery Center runs April 28 - June 10  
</h3>
```



**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: [/](#)

Element:

```
<div class="note-text">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: [/en](#)

Element:

```
<h3 class="hero-title">
```

```
    King County Disaster Recovery Center runs April 28 - June 10  
</h3>
```



**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: [/en/404/404-folder-test-js](#)

Element:

```
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



**Page:** </en/404/404-folder-test-js>

**Element:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&user=extranet%5cAnonymous&site=KCGov">he...
```



**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

Ensure that the page, or at least one of its frames contains a level-one heading. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable



**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing>

**Element:**

```
<aside class="col-md-12 col-lg-4 right-rail">
```



**SONDE FIX PLAN**

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable



**Page:** </en/calendar>

**Element:**

```
<aside class="col-md-12 col-lg-4 right-rail">
</aside>
```



**SONDE FIX PLAN**

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM** All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** [/en/categories](#)

**Element:**

```
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

**SONDE FIX PLAN**  
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM** Document should have one main landmark: Fix all of the following: Document does not have a main landmark

**Page:** [/en/categories](#)

**Element:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
...

```

**SONDE FIX PLAN**  
Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>  
Ensure that the page, or at least one of its frames contains a level-one heading. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM** Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

**Page:** [/en/categories/about-king-county](#)

**Element:**

```
<aside class="col-md-12 col-lg-4 right-rail">
...
</aside>
```

**SONDE FIX PLAN**  
Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM** Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label,

aria-labelledby, or title to make landmarks distinguishable

Page: </en/categories/animals-pets-pests>

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">  
  
</aside>
```



**SONDE FIX PLAN**

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

Landmarks should have a unique role or role/label/title (i.e. accessible name)

**MEDIUM**

combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable



Page: </en/categories/buildings-property>

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">  
  
</aside>
```



**SONDE FIX PLAN**

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

Heading levels should only increase by one: Fix any of the following: Heading order invalid

**MEDIUM**



Page: </en/categories/buildings-property/permits-inspections-codes-building-land-use>

Element:

```
<h3>Building and fire codes</h3>
```



**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See: <https://www.w3.org/WAI/WCAG22/quickref/>

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86,

**MEDIUM**

245), text: rgb(51, 51, 51)). Users who cannot perceive color differences WCAG 1.4.1 may not identify this as a link.

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86,

**MEDIUM**

245), text: rgb(51, 51, 51)). Users who cannot perceive color differences WCAG 1.4.1 may not identify this as a link.

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86,

**MEDIUM**

245), text: rgb(51, 51, 51)). Users who cannot perceive color differences WCAG 1.4.1 may not identify this as a link.

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**


Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

 **SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

 **SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

 **SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.


Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. 🔗 🗨

**MEDIUM** WCAG 1.4.1 🗨

**Page:** [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

 **SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.


Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. 🔗 🗨

**MEDIUM** WCAG 1.4.1 🗨

**Page:** [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

 **SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.


Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. 🔗 🗨

**MEDIUM** WCAG 1.4.1 🗨

**Page:** [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

 **SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. 🔗 🗨

**MEDIUM** WCAG 1.4.1 🗨

may not identify this as a link.

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. [WCAG 1.4.1](#)

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. [WCAG 1.4.1](#)

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. [WCAG 1.4.1](#)

Page: [/en](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co  
nty TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an  
imal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/404> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/en/404](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** [/en/404/404-folder-test-js/test-page-for-pdf-publishing](#) WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

**Page:** </en/calendar> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

may not identify this as a link.

Page: [/en/calendar](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: [/en/calendar](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: [/en/calendar](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: [/en/calendar](#) [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86,

**MEDIUM**

245), text: rgb(51, 51, 51)). Users who cannot perceive color differences [WCAG 1.4.1](#)

may not identify this as a link.

**Page:** </en/calendar> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86,

**MEDIUM**

245), text: rgb(51, 51, 51)). Users who cannot perceive color differences [WCAG 1.4.1](#)

may not identify this as a link.

**Page:** </en/calendar> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86,

**MEDIUM**

245), text: rgb(51, 51, 51)). Users who cannot perceive color differences [WCAG 1.4.1](#)

may not identify this as a link.

**Page:** </en/calendar> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co  
nty TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: </en/calendar> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an  
imal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: </en/calendar> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">C  
areers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

Page: </en/categories/about-king-county> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1



Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1



Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1



Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** </en/categories/animals-pets-pests> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** </en/categories/buildings-property> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/hr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



**MEDIUM** Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE FIX PLAN**  
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/buildings-property> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/buildings-property> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** </en/categories/buildings-property> [WCAG 1.4.1](#)

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

may not identify this as a link.

Page: </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**MEDIUM**

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> WCAG 1.4.1

**Element:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Insufficient color contrast: 3.98:1 (required: 4.5:1 for normal text).

WCAG 1.4.3

Foreground: rgb(0, 123, 255), background: rgb(255, 255, 255). Text: "11"

Page: </en/categories/buildings-property> WCAG 1.4.3

**Element:**

```
<button class="page-link">11</button>
```

**3.98:1** x CURRENT

**4.52:1** ✓ SUGGESTED

11



11

#007bff on  #ffffff

#0072ee on  #ffffff



**SONDE FIX PLAN**

Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

**MEDIUM**

Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: </en/404/404-folder-test-js> WCAG 3.2.3

**Element:**

```
<!-- missing: nav -->
```



**SONDE FIX PLAN**

Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

**MEDIUM**

Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: </en/categories> WCAG 3.2.3

**Element:**

```
<!-- missing: nav -->
```



**SONDE FIX PLAN**

Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

**MEDIUM** Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
<span ari
```

**SONDE FIX PLAN**  
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM** Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en WCAG 4.1.3

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
<span ari
```

**SONDE FIX PLAN**  
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM** Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/404 WCAG 4.1.3

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
<span ari
```

**SONDE FIX PLAN**  
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </en/404/404-folder-test-js/test-page-for-pdf-publishing> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">
```

```
<span ari
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </en/calendar> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">
```

```
<span ari
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "chevron\_right" inserts 28 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </en/calendar> [WCAG 4.1.3](#)

**Element:**

```
<button type="button" class="btn btn-secondary" id="next-btn" title="Next week"><span class="material-icons" style="vertical-align: middle;">chevron_right</span></button>
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "chevron\_left" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



**Page:** </en/calendar> [WCAG 4.1.3](#)

**Element:**

```
<button type="button" class="btn btn-secondary" id="previous-btn" title="Previous week"><span class="material-icons" style="vertical-align: middle;">chevron_left</span></button>
```

**SONDE FIX PLAN**  
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM** Clicking "Month" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**Page:** </en/calendar> [WCAG 4.1.3](#)

**Element:**

```
<button type="button" class="btn btn-primary" id="cal-month-btn">Month</button>
```

**SONDE FIX PLAN**  
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM** Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**Page:** </en/categories/about-king-county> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
    <span ari
```

**SONDE FIX PLAN**  
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM** Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
    <span ari
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM**

Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



**Page:** </en/categories/animals-pets-pests> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
    <span ari
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM**

Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



**Page:** </en/categories/buildings-property> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
    <span ari
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM**

Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



**Page:** </en/categories/buildings-property/permits-inspections-codes-building-land-use> [WCAG 4.1.3](#)

**Element:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target="#langList" aria-haspopup="true" aria-expanded="false">  
  
    <span ari
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

**MEDIUM**

Broken link: <https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx> returned status 404 Not Found after 1 attempts

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing>

**Element:**

```
<a href="https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx">508 Overview</a>
```

**MEDIUM**

Broken link: <https://kingcounty.gov/en/sitecore> returned status 404 Not Found after 1 attempts

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing>

**Element:**

```
<a href="https://kingcounty.gov/en/sitecore">OPTIONAL LINK</a>
```

**MEDIUM**

Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**Page:** [/](#) [WCAG 2.4.5](#)



**SONDE FIX PLAN**

Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

**MEDIUM**

Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**Page:** </en> [WCAG 2.4.5](#)



**SONDE FIX PLAN**

Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

**MEDIUM** Element overflows viewport by 1057px at 320px width.

WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<div class="slick-track" style="opacity: 1; width: 1377px; transform: translate3d(0px, 0px, 0px);"><div class="slick-slide slick-current slick-active" data-slick-index="0" aria-hidden="false" style="w
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

**MEDIUM** Element overflows viewport by 37px at 320px width.

WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<li style="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li>
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

**MEDIUM** Content clipped by 71px when text spacing is applied per WCAG 1.4.12.  
Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

**Page:** [WCAG 1.4.12](#)**Element:**

```
<h1 class="sr-only">Home</h1>
```

**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

**MEDIUM** Element overflows viewport by 37px at 320px width.

















WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<div><li style="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li></div>
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

|  |   |
|--|---|
| <p><b>MEDIUM</b> Element overflows viewport by 37px at 320px width. <span style="float: right;">WCAG 1.4.10 </span></p> <p><b>Page:</b> <a href="#">WCAG 1.4.10</a></p> <p><b>Element:</b></p> <pre>&lt;a href="/en/index/#F" tabindex="0"&gt;F&lt;/a&gt;</pre> <p> <b>SONDE FIX PLAN</b><br/>Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.</p>   |       |
| <p><b>MEDIUM</b> Element overflows viewport by 37px at 320px width. <span style="float: right;">WCAG 1.4.10 </span></p> <p><b>Page:</b> <a href="#">WCAG 1.4.10</a></p> <p><b>Element:</b></p> <pre>&lt;div class="slick-slide slick-active" data-slick-index="6" aria-hidden="false" style="width: 51px;"&gt;&lt;div&gt;&lt;li style="width: 100%; display: inline-block;"&gt;&lt;a href="/en/index/#F" tabindex="0"&gt;F&lt;/a&gt;&lt;/li&gt;&lt;/div&gt;</pre> <p> <b>SONDE FIX PLAN</b><br/>Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.</p>   |       |
| <p><b>MEDIUM</b> Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. <span style="float: right;">WCAG 1.4.12 </span></p> <p><b>Page:</b> <a href="#">/en/404/404-folder-test-js/test-page-for-pdf-publishing</a> <a href="#">WCAG 1.4.12</a></p> <p><b>Element:</b></p> <pre>&lt;div class="topic-card-footer"&gt;Add text for your Topic 1 description and embed a URL to the Topic Detail Page here.&lt;/div&gt;</pre> <p> <b>SONDE FIX PLAN</b><br/>Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.</p> |   |
| <p><b>MEDIUM</b> Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. <span style="float: right;">WCAG 1.4.12 </span></p> <p><b>Page:</b> <a href="#">/en/404/404-folder-test-js/test-page-for-pdf-publishing</a> <a href="#">WCAG 1.4.12</a></p> <p><b>Element:</b></p> <pre>&lt;h2 class="sr-only"&gt;   Topic Cards &lt;/h2&gt;</pre> <p> <b>SONDE FIX PLAN</b></p>  |   |

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 200px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12



Page: </en/calendar> [WCAG 1.4.12](#)

Element:

```
<div class="row filter-row smooth-transition" id="filterRow"><div class="container">  
<div class="kc-form calendar-filters"><div class="kc-form-element button clear-butto  
n-row"><input type="submit" name
```



SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 26px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12



Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> [WCAG 1.4.12](#)

Element:

```
<span class="sr-only">Language selector</span>
```



SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12



Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> [WCAG 1.4.12](#)

Element:

```
<h2 id="footerLinks" class="sr-only">Footer Links</h2>
```



SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12






Page: </en/categories/about-king-county/about-prosecuting-attorneys-office> [WCAG 1.4.12](#)

**Element:**

```
<a href="#maincontent" class="sr-only sr-only-focusable">Skip to main content</a>
```

**SONDE FIX PLAN**  
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

**MEDIUM** Page requires horizontal scrolling at 320px width (1px overflow). WCAG 1.4.10   


Content should reflow without horizontal scrolling at this width.

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office> WCAG 1.4.10

**Element:**

```
<html>
```

**SONDE FIX PLAN**  
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.


**LOW** Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledbyby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute 

**Page:** </en/404/404-folder-test-js/test-page-for-pdf-publishing>

**Element:**

```
<h2></h2>
```

**SONDE FIX PLAN**  
Ensure headings have discernible text. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**LOW** Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledbyby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute 

**Page:** </en/categories/about-king-county>

**Element:**

```
<h2></h2>
```


**SONDE FIX PLAN**  
Ensure headings have discernible text. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**LOW** Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby by attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

**Page:** </en/categories/buildings-property>

**Element:**

```
<h2></h2>
```

 **SONDE FIX PLAN**  
Ensure headings have discernible text. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**LOW** Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** [/](#)

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

**LOW** Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** [/](#)

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

**LOW** Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** </en>

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

**LOW** Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** </en>

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

**LOW** Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: </en/404>

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

**LOW** Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: </en/404>

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

**LOW** Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: </en/calendar>

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

**LOW** Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: </en/calendar>

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

**LOW** Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: </en/categories/about-king-county>

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

**LOW** Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** </en/categories/about-king-county>

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

**LOW** Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office>

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

**LOW** Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** </en/categories/about-king-county/about-prosecuting-attorneys-office>

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

## Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S / (S + P/N))$$

where S = sensitivity (750), P =  $\Sigma(\text{weight} \times \text{count})$ , N = pages scanned

| TIER     | WEIGHT | EXAMPLES                                |
|----------|--------|---|
| Critical | 10     | Keyboard traps, missing page language   |
| High     | 3      | Missing alt text, insufficient contrast |
| Medium   | 1      | Heading hierarchy, unclear link purpose |
| Low      | 0.25   | Best-practice suggestions               |

*The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.*

### Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

 [View Findings Data](#)

 [Track Changes](#)

 [Nominate a Site](#)

 [Report a Scanning Issue](#)