



Sonde

Accessibility Health Check

<https://littlerock.gov>

658



Progressing

April 28, 2026

Provided free by Sonde

<https://daylight.sonde.life/usgov/littlerock-gov/>

5 pages | 1253 findings | 54 critical | 314 high | 332 medium | 553 low |
250.6 avg/page | 23,025 elements | 605 with findings | 97.4% ECR | 3m 22s total |
40.3s per page

Top Findings

[Copy a direct link to share a finding](#) · [Open a discussion to give feedback on a finding](#)

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

<!-- a11y: role="link" -->



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

<!-- a11y: role="link" -->



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

<!-- a11y: role="link" -->



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

<!-- a11y: role="link" -->

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="combobox" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="combobox" value="English" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="combobox" has no accessible name.
Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="combobox" value="English" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2 

Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="combobox" has no accessible name.
Screen readers cannot identify this control.

WCAG 4.1.2



Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="combobox" value="English" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen
readers cannot identify this control.

WCAG 4.1.2



Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen
readers cannot identify this control.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```

**SONDE FIX PLAN**

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen
readers cannot identify this control.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="link" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="link" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="combobox" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)


Element:

```
<!-- a11y: role="combobox" value="English" -->
```



SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

**CRITICAL**

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2 ⚡

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)**Element:**

```
<select tabindex="0" class="RBTg20">
```

**SONDE FIX PLAN**

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>**CRITICAL**

Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-modal="true"

WCAG 4.1.2 ⚡

**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)**Element:**

```
<div class="recite-overlay-content" aria-modal="true">
```


**SONDE FIX PLAN**

Ensure an element's role supports its ARIA attributes. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>**CRITICAL**

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2 ⚡

**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)**Element:**

```
<select tabindex="0" class="RBTg20">
```

**SONDE FIX PLAN**

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>



Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

CRITICAL

WCAG 4.1.2 ⚡

Page: </news/> [WCAG 4.1.2](#)**Element:**

```
<select tabindex="0" class="RBTg20">
```

**SONDE FIX PLAN**

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

CRITICAL


WCAG 4.1.2 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)**Element:**

```
<select tabindex="0" class="RBTg20">
```

**SONDE FIX PLAN**

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>**CRITICAL**

Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-modal="true"

WCAG 4.1.2 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)**Element:**

```
<div class="recite-overlay-content" aria-modal="true">
```

**SONDE FIX PLAN**

Ensure an element's role supports its ARIA attributes. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

Insufficient color contrast: 1.01:1 (required: 4.5:1 for normal text).



CRITICAL Foreground: rgb(0, 23, 61), background: rgb(23, 26, 30). Text: "No results" WCAG 1.4.3


Page: / [WCAG 1.4.3](#)

Element:

```
<div class="screen-reader-text" aria-live="polite" role="status">
    No results
</div>
```

1.01:1 ✗ CURRENT **4.51:1** ✓ SUGGESTED

 → 

SONDE FIX PLAN

Current ratio: 1.01:1 (need 4.5:1). Change foreground from #00173d to #6483b1 (ratio: 4.5:1). Or change background from #171a1e to #000000.

Insufficient color contrast: 1.13:1 (required: 3:1 for large text).



CRITICAL Foreground: rgb(255, 255, 255), background: rgb(241, 241, 241). Text: "WELCOME" WCAG 1.4.3


Page: / [WCAG 1.4.3](#)

Element:

```
<h1 class="stk-block-heading__text has-text-color">WELCOME</h1>
```

1.13:1 ✗ CURRENT **3.01:1** ✓ SUGGESTED

 → 

SONDE FIX PLAN

Current ratio: 1.13:1 (need 3:1). Change foreground from #ffffff to #8c8b8b (ratio: 3.0:1). Or change background from #f1f1f1 to #ffffff.

Insufficient color contrast: 1.00:1 (required: 3:1 for large text).

CRITICAL Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Mayor's Office" WCAG 1.4.3

Page: / [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/government/mayors-office/" class="ct-menu-link">Mayor's Office<span class="ct-toggle-dropdown-desktop"><svg class="ct-icon" width="8" height="8" viewBox="0 0 15 15" aria
```

1.00:1 ✗ CURRENT

3.03:1 ✓ SUGGESTED



☐ #ffffff on ☐ #ffffff

☒ #959494 on ☐ #ffffff
**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text).

CRITICAL Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "ings" WCAG 1.4.3 ⓘ

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 1.4.3

Element:

```
<recite-focus-normal style="font-weight: normal !important;">ings</recite-focus-normal>
```

1.00:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED



☐ #ffffff on ☐ #ffffff

☒ #777676 on ☐ #ffffff
**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1). Current ratio: 1.10:1 (need 4.5:1). Change foreground from #ffffff to #707070 (ratio: 4.5:1). Or change background from #f4f4f4 to #ffffff.

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text).

CRITICAL Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Head" WCAG 1.4.3 ⓘ

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Head</recite-focus-bold>
```

1.00:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED



☐ #ffffff on ☐ #ffffff

☒ #777676 on ☐ #ffffff

**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1). Current ratio: 1.10:1 (need 4.5:1). Change foreground from #ffffff to #707070 (ratio: 4.5:1). Or change background from #f4f4f4 to #ffffff.

HIGH

Empty heading (role="heading"). Headings must contain text for screen reader navigation to work.

WCAG 1.3.1



Page: / [WCAG 1.3.1](#)

Element:

```
<!-- a11y: role="heading" -->
```

**SONDE FIX PLAN**

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: / [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: / [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: / [downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:


```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:


```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

Page: </news/> [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

Page: </news/> [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

Page: </news/> [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

Page: </news/> [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:


```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1		
Page: /news/ WCAG 1.1.1				
Element:				
<!-- a11y: role="image" -->				
SONDE FIX PLAN				
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.				
HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1		
Page: /news/ WCAG 1.1.1				
Element:				
<!-- a11y: role="image" -->				
SONDE FIX PLAN				
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.				
HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1		
Page: /news/ WCAG 1.1.1				
Element:				
<!-- a11y: role="image" -->				
SONDE FIX PLAN				
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.				
HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1		
Page: /news/ WCAG 1.1.1				
Element:				
<!-- a11y: role="image" -->				
SONDE FIX PLAN				

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </news/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:


```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4



Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://twitter.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.gov/government/board-of-directors/meeting-agendas/"></a>
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.justfoia.com/publicportal/home/newrequest" target="_blank" rel="noreferrer noopener"></a>
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://data.little-rock.gov" target="_blank" rel="noreferrer noopener"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.youtube.com/user/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.89 (foreground color: #429cf0, background color: #ffffff, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: / [WCAG 1.4.3](#)

Element:

```
<time datetime="2026-03-04T15:02:10+00:00">March 4, 2026</time>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a href="https://littlerock.gov/24th-annual-therapeutic-recreation-arts-festival/" class="stk-block-posts__image-link">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.89 (foreground color: #429cf0, background color: #ffffff, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: / [WCAG 1.4.3](#)

Element:

```
<time datetime="2026-04-23T19:08:07+00:00">April 23, 2026</time>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.gov/government/board-of-directors/meeting-agendas/"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://belrpd.org/" target="_blank" rel="noreferrer noopener"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://belrpd.org/" target="_blank" rel="noreferrer noopener"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.89 (foreground color: #429cf0, background color: #ffffff, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3 ⚡

Page: / [WCAG 1.4.3](#)

Element:

```
<time datetime="2026-04-13T21:11:18+00:00">April 13, 2026</time>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="/residents/police-department/professional-standards/internal-affairs/" target="_blank" rel="noreferrer noopener"></a>
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.instagram.com/citylittlerock/" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size because it is partially obscured (smallest space is 23.5px by 24px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 0px instead of at least 24px.

HIGH

WCAG 2.5.8 ⚡

Page: / [WCAG 2.5.8](#)

Element:

```
<button class="ct-toggle-dropdown-desktop-ghost" aria-label="Expand dropdown menu" aria-haspopup="true" aria-expanded="false"></button>
```



SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:

<https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://tmh.little-rock.gov" target="_blank" rel="noreferrer noopener"></a>
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a href="https://littlerock.gov/macarthur-park-5k/" class="stk-block-posts__image-link">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.89 (foreground color: #429cf0, background color: #ffffff, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / [WCAG 1.4.3](#)**Element:**

```
<time datetime="2026-03-19T18:54:05+00:00">March 19, 2026</time>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / [WCAG 2.4.4](#)**Element:**

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.gov/government/city-departments/public-works/sustainability/green-programs/green-restaurant-program/"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.us12.list-manage.com/subscribe?u=26c9e76517112f8cbb5f7106f&id=a5e4f6eeb7" target="_blank" rel="noreferrer noope...
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="/residents/police-department/professional-standards/internal-affairs/" target="_blank" rel="noreferrer noopener"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.justfoia.com/publicportal/home/newrequest" target="_blank" rel="noreferrer noopener"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size because it is partially obscured (smallest space is 23.5px by 24px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 0px instead of at least 24px.

HIGH

WCAG 2.5.8 ⚡

Page: / [WCAG 2.5.8](#)

Element:

```
<button class="ct-toggle-dropdown-desktop-ghost" aria-label="Expand dropdown menu" aria-haspopup="true" aria-expanded="false"></button>
```



SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:

<https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a href="https://littlerock.gov/connect-4-success-quarterly-breakfast/" class="stk-block-posts__image-link">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: / [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.facebook.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / [WCAG 2.4.4](#)**Element:**

```
<a class="stk-link stk-block-link stk--transparent-overlay" href="https://littlerock.gov/government/city-departments/public-works/sustainability/green-programs/adopt-a-street/"></a>
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

 and must only directly contain , <script> or <template>

elements: Fix all of the following: List element has direct children that are not allowed: [role=button] WCAG 1.3.1

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.3.1](#)**Element:**

```
<ul id="recite-languages">
```

**SONDE FIX PLAN**

Ensure that lists are structured correctly. See: <https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.us12.list-manage.com/track/click?u=26c9e76517112f8cbb5f7106f&id=3b8919dfed&e=9111313fef">http://downtownlittlerock.engage.sasaki.com/</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://twitter.com/CityLittleRock" target="_blank" rel="noopener noreferrer">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 1.4.3](#)

Element:

```
<span itemprop="name">Latest News</span>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.facebook.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.youtube.com/user/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

HIGH

WCAG 4.1.2 ⚡

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 4.1.2](#)

Element:

```
<iframe tabindex="0" src="https://app.alwayson.ai/chatbot/adbf0f1b-635a-4072-a8cd-73eb6076f931?language=en&api_domain=api.alwayson.ai&current_page_url=https://littlerock.gov/downtown-master-pl...">
```

**SONDE FIX PLAN**

Ensure <iframe> and <frame> elements have an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground

HIGH

WCAG 1.4.3 ⚡

color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> WCAG 1.4.3

Element:

```
<span itemp="name">Home</span>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> WCAG 2.4.4

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.instagram.com/citylittlerock/" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

HIGH

WCAG 4.1.2 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 4.1.2

Element:

```
<iframe tabindex="0" src="https://app.alwayson.ai/chatbot/adbf0f1b-635a-4072-a8cd-73eb6076f931?language=en&api_domain=api.alwayson.ai&current_page_url=https://littlerock.gov/mayor-to-host-work...">
```



SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.09 (foreground color: #ffffff, background color: #f4f4f4, font size: 12.Opt (16px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3  

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Landm</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum> Current ratio: 3.36:1 (need 4.5:1). Change foreground from #329f5b to #0d8846 (ratio: 4.5:1).

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.Opt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">aki</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.Opt (16px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">sas</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 2.4.4

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.instagram.com/citylittlerock/" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">ht</recite-focus-bold>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">co</recite-focus-bold>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Lat</recite-focus-bold>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledbyby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.youtube.com/user/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:


```
<recite-focus-normal style="font-weight: normal !important;">littlerock</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">age</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://twitter.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">//downtown</recite-focus-bo  
ld>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡



Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Ne</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡



Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-normal style="font-weight: normal !important;">m</recite-focus-normal  
>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡



Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-normal style="font-weight: normal !important;">ws</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-normal style="font-weight: normal !important;">est</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </mayor-to-host-workforce-development-summit/> WCAG 2.4.4

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.facebook.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

 and must only directly contain , <script> or <template>

elements: Fix all of the following: List element has direct children that are

WCAG 1.3.1 ⚡

not allowed: [role=button]

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.3.1

Element:

```
<ul id="recite-languages">
```



SONDE FIX PLAN

Ensure that lists are structured correctly. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">eng</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite-focus-normal style="font-weight: normal !important;">tp</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.09 (foreground color: #ffffff, background color: #f4f4f4, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">arks</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum> Current ratio: 3.36:1 (need 4.5:1). Change foreground from #329f5b to #0d8846 (ratio: 4.5:1).

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/featured-releases/" rel="tag" class="ct-term-126">Featured Releases</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground

HIGH

WCAG 1.4.3 ⚡

color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/latest-news/" rel="tag" class="ct-term-5">Latest News</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/media-releases/" rel="tag" class="ct-term-123">Media Releases</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledbyby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

HIGH

WCAG 4.1.2

Page: [/news/](#) [WCAG 4.1.2](#)

Element:

```
<iframe tabindex="0" src="https://app.alwayson.ai/chatbot/adbf0f1b-635a-4072-a8cd-73eb6076f931?language=en&api_domain=api.alwayson.ai&current_page_url=https://littlerock.gov/news/" class="UcjX...">
```



SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">May 1, 2026</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">May 13, 2026</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/11311-mara-lynn-homicide/" rel="bookmark">11311 Mara Lynn Homicide</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfe, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**


```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #ffffff, background color: #329f5b, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Public Notice</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/24th-annual-therapeutic-recreation-arts-festival/" rel="bookmark">24th Annual Therapeutic Recreation Arts Festival</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

HIGH

WCAG 1.4.3 ⚡

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/racial-and-cultural-diversity-commission-meeting-2/" rel="bookmark">Racial and Cultural Diversity Commission Meeting</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfe, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3 ⚡

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground

HIGH

WCAG 1.4.3 ⚡

color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/city-to-extend-weekend-curfew-hours-for-youth/" rel="bookmark">City to Extend Weekend Curfew Hours for Youth</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/connect-4-success-quarterly-breakfast/" rel="bookmark">Connect 4 Success Quarterly Breakfast</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfejd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/featured-releases/" rel="tag" class="ct-term-126">Featured Releases</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/police-release/" rel="tag" class="ct-term-125">Police Release</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1 WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/fatal-collision-at-8500-north-rodney-parham/" rel="bookmark">Fatal Collision at 8500 North Rodney Parham</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #ffffff, background color: #329f5b, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Police Release</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">May 14, 2026</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #ffffff, background color: #329f5b, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Events</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/city-adopts-new-ai-acceptable-use-policy/" rel="bookmark">City Adopts New AI Acceptable Use Policy</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #ffffff, background color: #329f5b, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Latest News</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/police-release/" rel="tag" class="ct-term-125">
Police Release</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/News/events/" rel="tag" class="ct-term-6">Events</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/" rel="tag" class="ct-term-6">Events</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/" rel="tag" class="ct-term-6">Events</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfeff, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read Mo  
re</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">May 06,  
2026</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/may-parks-recreation-commission-meeting/" rel="bookm  
ark">May Parks & Recreation Commission Meeting</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/News/events/" rel="tag" class="ct-term-6">Events</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/News/media-releases/" rel="tag" class="ct-term-123">Media Releases</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/media-releases/" rel="tag" class="ct-term-123">Media Releases</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/featured-releases/" rel="tag" class="ct-term-126">Featured Releases</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #ffffff, background color: #329f5b, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Media R
eleases</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">April 3
0, 2026</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">May 18,
2026</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfdfd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/civil-service-commission-meeting-may-7/" rel="bookmark">Civil Service Commission Meeting - May 7</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/latest-news/" rel="tag" class="ct-term-5">Latest News</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground

HIGH

WCAG 1.4.3

color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/4201-holt-street-homicide/" rel="bookmark">4201 Holt Street Homicide</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/city-manager/" rel="tag" class="ct-term-127">City Manager</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/media-releases/" rel="tag" class="ct-term-123">Media Releases</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #ffffff, background color: #329f5b, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Feature  
d Releases</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/parks/" rel="tag" class="ct-term-133">Pa  
rks</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfefd, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read Mo  
re</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/community-programs/" rel="tag" class="ct-term-128">Community Programs</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/little-rock-sister-cities-commission-meeting-4/" rel="bookmark">Little Rock Sister Cities Commission Meeting</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfeff, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/latest-news/" rel="tag" class="ct-term-5">Latest News</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fdfeff, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">May 7, 2026</recite>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/News/latest-news/" rel="tag" class="ct-term-5">Latest News</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)**Element:**

```
<a href="https://littlerock.gov/little-rock-launches-new-mobile-market/" rel="bookmark">Little Rock Launches New Mobile Market</a>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcdffd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/police-release/" rel="tag" class="ct-term-125">Police Release</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/" rel="tag" class="ct-term-6">Events</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3 ⚡

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/little-rock-recycles-day-is-saturday-march-7/" rel="bookmark">Little Rock Recycles Day is Saturday, March 7</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Read More</recite>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

HIGH

WCAG 1.4.3

Page: [/news/](#) [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/commission-on-children-youth-and-families-may-meeting/" rel="bookmark">Commission on Children, Youth and Families May Meeting</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground

HIGH

WCAG 1.4.3

color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/events/" rel="tag" class="ct-term-6">Events</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<a href="https://littlerock.gov/News/featured-releases/" rel="tag" class="ct-term-12 6">Featured Releases</a>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.01 (foreground color: #fcfdfd, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </news/> [WCAG 1.4.3](#)

Element:

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

 and must only directly contain , <script> or <template>

HIGH

elements: Fix all of the following: List element has direct children that are [WCAG 1.3.1](#)

not allowed: [role=button]

Page: [/news/](#) [WCAG 1.3.1](#)

Element:

```
<ul id="recite-languages">
```



SONDE FIX PLAN

Ensure that lists are structured correctly. See:

<https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: [/news/](#) [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.youtube.com/user/CityLittleRock" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 2.4.4 ⚡

Page: [/news/](#) [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.facebook.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </news/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://twitter.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </news/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.instagram.com/citylittlerock/" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">me</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">co</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">aki</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">eng</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Ho</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 2.4.4

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.instagram.com/citylittlerock/" target="_blank" rel="noreferrer noopener">
```



SONDE FIX PLAN

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 2.4.4

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://twitter.com/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">m</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">age</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.09 (foreground color: #ffffff, background color: #f4f4f4, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">arks</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

 and must only directly contain , <script> or <template>

HIGH

elements: Fix all of the following: List element has direct children that are not allowed: [role=button]

WCAG 1.3.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.3.1](#)

Element:

```
<ul id="recite-languages">
```

**SONDE FIX PLAN**

Ensure that lists are structured correctly. See: <https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">littlerock</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.09 (foreground color: #ffffff, background color: #f4f4f4, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Lin</recite-focus-bold>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">ht</recite-focus-bold>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.youtube.com/user/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">sas</recite-focus-bold>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">ws</recite-focus-normal>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledbyby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<iframe tabindex="0" src="https://app.alwayson..." class="UcjXt4" data-pause-message="{\"method\": \"pause\"}" data-play-message="{\"method\": \"play\"}">
```

**SONDE FIX PLAN**

Ensure <iframe> and <frame> elements have an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">//downtown</recite-focus-bo  
ld>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.4](#)

Element:

```
<a class="stk-link stk-button stk--hover-effect-scale" href="https://www.facebook.co  
m/CityLittleRock" target="_blank" rel="noreferrer noopener">
```

**SONDE FIX PLAN**

Ensure links have discernible text. See: <https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.09 (foreground color: #ffffff, background color: #f4f4f4, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">ks</recite-focus-normal  
>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground

WCAG 1.4.3 ⚡

color: #329f5b, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">tp</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: bold). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Lat</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: normal). Expected contrast ratio of 4.5:1

HIGH

WCAG 1.4.3

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.3](#)

Element:

```
<recite-focus-normal style="font-weight: normal !important;">est</recite-focus-normal>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.09 (foreground color: #ffffff, background color: #f4f4f4, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Landm</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.36 (foreground color: #329f5b, background color: #ffffff, font size: 9.0pt (12px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> WCAG 1.4.3

Element:

```
<recite-focus-bold style="font-weight: bold !important;">Ne</recite-focus-bold>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Insufficient color contrast: 2.90:1 (required: 4.5:1 for normal text). Foreground: rgb(66, 156, 240), background: rgb(255, 255, 255). Text: "April 23, 2026" WCAG 1.4.3 ⚡

Page: [/](#) WCAG 1.4.3

Element:

```
<time datetime="2026-04-23T19:08:07+00:00">April 23, 2026</time>
```

2.90:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED

April 23, 2026



April 23, 2026

☒ #429cf0 on ☐ #ffffff

☒ #1679cb on ☐ #ffffff

**SONDE FIX PLAN**

Current ratio: 2.90:1 (need 4.5:1). Change foreground from #429cf0 to #1679cb (ratio: 4.5:1).

HIGH

Console error: Uncaught TypeError: object null is not iterable (cannot read property Symbol(Symbol.iterator))



Page: </mayor-to-host-workforce-development-summit/>

Source:

<https://uswestapi.reciteme.com/asset/js?key=d44d52e20728dafc46c2b796659596b849495a47:0>

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN

HIGH

Console error: Uncaught TypeError: object null is not iterable (cannot read property Symbol(Symbol.iterator)) (5 occurrences)



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Source:

<https://uswestapi.reciteme.com/asset/js?key=d44d52e20728dafc46c2b796659596b849495a47:0>

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN

HIGH

Focus jumps backward from "Accept" to "#header > div:nth-of-type(1) > div > div > div > div > div:nth-of-type(1) > div > div > a" (visual distance: 1061px). No explicit tabIndex — likely a DOM order issue.



Page: [/ WCAG 2.4.3](#)

Element:

<a>

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Launch Recite Me accessibility and language Support" to "Skip to content" (visual distance: 596px). No explicit tabIndex — likely a DOM order issue.



Page: [/ WCAG 2.4.3](#)

Element:

```
<a>Skip to content</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "MORE" to "#post-19 > div > div:nth-of-type(6) > div > div > div > div > div:nth-of-type(3) > div > div:nth-of-type(1) > div:nth-of-type(2) > div > a" (visual distance: 419px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

**Page:** [/ WCAG 2.4.3](#)**Element:**

```
<a></a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "VIEW" to "City to Extend Weekend Curfew Hours for Youth" (visual distance: 482px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

**Page:** [/ WCAG 2.4.3](#)**Element:**

```
<a>City to Extend Weekend Curfew Hours for Youth</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "#alwayson_chatbot > div:nth-of-type(1) > div > button" to "Roxie" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/ WCAG 2.4.3](#)**Element:**

```
<div>Roxie</div>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Media Release" to "Close Page Structure" (visual distance: 324px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.3](#)

Element:

```
<a>Close Page Structure</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH

Focus jumps backward from "#alwayson_chatbot > div:nth-of-type(1) > div > button" to "Roxie" (visual distance: 598px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: </news/> [WCAG 2.4.3](#)

Element:

```
<div>Roxie</div>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "NEXT" to "MacArthur Park 5k" (visual distance: 722px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: </news/> [WCAG 2.4.3](#)

Element:

```
<a>MacArthur Park 5k</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Media Release" to "Close Page Structure" (visual distance: 324px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

Element:

```
<a>Close Page Structure</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH

Video element has no caption track. Deaf and hard-of-hearing users cannot access the audio content.

WCAG 1.2.2



Page: [/ WCAG 1.2.2](#)

Element:

```
<video class="stk-video-background" autoplay="" muted="" loop="" playsinline="" src="https://littlerock.gov/wp-content/uploads/2025/06/LR-CropLG1.mp4" poster=""></video>
```

**SONDE FIX PLAN**

Add a <track kind="captions" src="captions.vtt" srclang="en" label="English"> element inside the <video> tag.

HIGH

strict-transport-security header has invalid or weak value: max-age=2592000; includeSubDomains



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN

HIGH

strict-transport-security header has invalid or weak value: max-age=2592000; includeSubDomains



Page: [/news/](#)

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN

MEDIUM

Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.3.1](#)

Element:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </mayor-to-host-workforce-development-summit/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Page has 3 "navigation" landmarks but only 1 have distinct labels.
Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.3.1](#)

Element:

```
<!-- 3 navigation landmarks, 1 labeled -->
```



SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but
screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but
screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1 

Page: </news/> [WCAG 1.3.1](#)

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

**SONDE FIX PLAN**

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </news/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.3.1](#)

Element:

```
<!-- 3 navigation landmarks, 1 labeled -->
```



SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h5 class="stk-block-posts__title has-text-color"><a href="https://littlerock.gov/macarthur-park-5k/">MacArthur Park 5k</a></h5>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h5 class="stk-block-posts__title has-text-color"><a href="https://littlerock.gov/city-adopts-new-ai-acceptable-use-policy/">City Adopts New AI Acceptable Use Policy</a></h5>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The null landmark is contained in another landmark.



Page: [/](#)

Element:

```
<aside class="stk-block-posts__meta stk-subtitle has-text-align-left has-text-color"><time datetime="2026-04-13T21:11:18+00:00">April 13, 2026</time></aside>
```

**SONDE FIX PLAN**

Ensure the complementary landmark or aside is at top level. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The null landmark is contained in another landmark.



Page: [/](#)

Element:

```
<aside class="stk-block-posts__meta stk-subtitle has-text-align-left has-text-color"><time datetime="2026-04-23T19:08:07+00:00">April 23, 2026</time></aside>
```

**SONDE FIX PLAN**

Ensure the complementary landmark or aside is at top level. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The null landmark is contained in another landmark.



Page: [/](#)

Element:

```
<aside class="stk-block-posts__meta stk-subtitle has-text-align-left has-text-color"><time datetime="2026-03-19T18:54:05+00:00">March 19, 2026</time></aside>
```

**SONDE FIX PLAN**

Ensure the complementary landmark or aside is at top level. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h4 class="stk-block-heading__text"><strong>CITY GOVERNMENT</strong></h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div><p>Ask the City of Little Rock chatbot!</p></div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h6 class="stk-block-heading__text has-text-color"><strong>EMPLOYMENT OPPORTUNITIES</strong></h6>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The null landmark is contained in another landmark.



Page: [/](#)

Element:

```
<aside class="stk-block-posts__meta stk-subtitle has-text-align-left has-text-color"><time datetime="2026-03-04T15:02:10+00:00">March 4, 2026</time></aside>
```

**SONDE FIX PLAN**

Ensure the complementary landmark or aside is at top level. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h5 class="stk-block-heading__text has-text-color has-white-color has-text-align-center">NOMINATIONS ARE NOW OPEN! </h5>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)**Element:**

```
<div class="ct-cookies-content">We use cookies to ensure that we give you the best experience on our website.</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>**MEDIUM**

Heading levels should only increase by one: Fix any of the following: Heading order invalid

**Page:** [/](#)**Element:**

```
<h4 class="stk-block-heading__text has-text-align-center">Mayor Frank Scott, Jr.</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>**MEDIUM**

Heading levels should only increase by one: Fix any of the following: Heading order invalid

**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>**Element:**

```
<h5 class="stk-block-heading__text"><recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Media Release</recite></h5>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>**Element:**

```
<h3 class="ruler-label" id="ruler-opacity-label" lang="en-us">Opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name)

combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<nav class="ct-breadcrumbs" data-source="default" itemscope="" itemtype="https://schema.org/BreadcrumbList">
```



SONDE FIX PLAN

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h2 id="recite-fonts-dropdown-header" class="recite-dropdown-heading" lang="en-us">Font Options</h2>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<input type="text" role="searchbox" aria-label="Search Languages" placeholder="Search 134 Languages" id="languageSearch" data-recite-tabable="" lang="en-us" tabindex="0">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-checkbox-options">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-page-options-page-mode">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h2 id="recite-ruler-options-dropdown-header" lang="en-us">Ruler Options</h2>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div id="recite-alignment-dropdown" class="recite-dropdown">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div id="skip-toolbar-controls">
  <a href="" data-recite-tabbable="" id="recite-toolbar-skip-link" lang="en-us"
  tabindex="0">Skip Toolbar to Main Content</a>
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 id="recite-playback-speed-label" lang="en-us">Reading Speed:</h3>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-radio-buttons" role="radiogroup">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-controls-row">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h2 id="recite-languages-dropdown-header" class="recite-dropdown-heading" lang="en-us">Translation</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
    <h3 id="recite-pointer-size-select" lang="en-us">Cursor Size
</h3>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
    <h2 id="recite-tts-dropdown-header" class="recite-dropdown-headi
ng" lang="en-us">Text to Speech</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner recite-version-container">
  <!-- <div class="recite-auth">
    ({{user.name}})
  </div> -->
  ...
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 class="recite-dropdown-subheading" lang="en-us">Page Background</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Light</h4>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div id="recite-page-options-image-options" class="recite-page-options-image-options">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 id="recite-language-label" class="recite-tts-hide-on-disable" lang="en-us">Voice</h3>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-languages recite-radio-buttons recite-tts-hide-on-disable" role="radiogroup">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Dark</h4>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h2 id="recite-page-options-dropdown-header" class="recite-dropdown-heading" lang="en-us">Page Options</h2>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-radio-buttons" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 id="recite-line-height-label" lang="en-us">Line Height</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h2 id="recite-themes-dropdown-header" class="recite-dropdown-heading" lang="en-us">
Color Theme</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
  <h2 id="recite-settings-dropdown-header" class="recite-dropdown-head
ing" lang="en-us">Recite Me Information</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 id="font-select-header" lang="en-us">Select Font</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 id="recite-character-spacing-label" lang="en-us">Character Spacing</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div id="recite-tts-moveable-controls" class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
  <h2 id="recite-pointer-options-dropdown-header" lang="en-us">Cursor Options</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<div class="cQz90X">

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<div class="jaH03x">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<div class="nkJ0fe">Powered by AlwaysOn</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<h2 id="recite-screen-mask-options-dropdown-header" lang="en-us">Screen Mask</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<div class="controls-info">
 <p lang="en-us">Move mouse or use your keyboard keys</p>
 <p> </p>
 <p lang="en-us">Shift + Arrow...
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>**Element:**

```
<h3 class="ruler-label" id="mask-opacity-label" lang="en-us">Opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>**Element:**

```
<recite class="recite-ele recite-e-ele-style" style="display: inline;" lang="">Skip to content</recite>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>**Element:**

```
<div class="recite-controls-row">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<h3 class="ruler-label" id="mask-size-label" lang="en-us">Window Size</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<div class="controls-info">
 <p lang="en-us">Move mouse or use your keyboard keys</p>
 <p> </p>
 <p lang="en-us">Shift + Arrow...</p>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<div class="recite-controls-row">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<div class="controls-info">
 <p lang="en-us">Move mouse or use your keyboard keys</p>
 <p> </p>
 <p lang="en-us">Shift + Arrow...
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<div class="cQz90X">

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<p id="recite-page-structure-copy">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 id="recite-playback-speed-label" lang="en-us">Reading Speed:</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:


```
<div class="recite-overlay-header">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h2 id="recite-languages-dropdown-header" class="recite-dropdown-heading" lang="en-us">Translation</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-radio-buttons" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 class="ruler-label" id="mask-size-label" lang="en-us">Window Size</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-checkbox-options">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="recite-sidebar-tabs" role="tablist">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="jaH03x">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 id="recite-character-spacing-label" lang="en-us">Character Spacing</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 class="recite-dropdown-subheading" lang="en-us">Page Background</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 class="ruler-label" id="mask-opacity-label" lang="en-us">0opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 id="recite-language-label" class="recite-tts-hide-on-disable" lang="en-us">Voice</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="controls-info">
  <p lang="en-us">Move mouse or use your keyboard keys</p>
  <p>&nbsp;</p>
  <p lang="en-us">Shift + Arrow...
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="skip-toolbar-controls">
  <a href="" data-recite-tabable="" id="recite-toolbar-skip-link" lang="en-u
s" tabindex="0">Skip Toolbar to Main Content</a>
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Dark</h4>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 class="ruler-label" id="ruler-opacity-label" lang="en-us">Opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
    <h2 id="recite-tts-dropdown-header" class="recite-dropdown-headi
ng" lang="en-us">Text to Speech</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<nav class="ct-breadcrumbs" data-source="default" itemscope="" itemtype="https://sch
ema.org/BreadcrumbList">
```

**SONDE FIX PLAN**

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-controls-row">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<input type="text" role="searchbox" aria-label="Search Languages" placeholder="Search 134 Languages" id="languageSearch" data-recite-tabable="" lang="en-us" tabindex="0">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
    <h3 id="recite-pointer-size-select" lang="en-us">Cursor Size
</h3>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h2 id="recite-screen-mask-options-dropdown-header" lang="en-us">Screen Mask</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="nkJ0fe"><a tabindex="0" href="https://alwayson.ai" target="_blank" class="nav-link" style="color: rgb(0, 23, 61);">Powered by AlwaysOn</a></div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h5 class="stk-block-heading__text">
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 id="recite-line-height-label" lang="en-us">Line Height</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="recite-alignment-dropdown" class="recite-dropdown">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-page-options-page-mode">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
    <h2 id="recite-pointer-options-dropdown-header" lang="en-us">Cur
sor Options</h2>
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h2 id="recite-themes-dropdown-header" class="recite-dropdown-heading" lang="en-us">
Color Theme</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
  <h2 id="recite-settings-dropdown-header" class="recite-dropdown-head
ing" lang="en-us">Recite Me Information</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-radio-buttons" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="recite-page-structure-tabs" class="recite-sidebar-tabs" role="tablist">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="recite-headings-content" role="tabpanel" aria-labelledby="recite-headings-tab" class="recite-sidebar-content recite-active-tabpanel" aria-hidden="false" style="">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h2 id="recite-fonts-dropdown-header" class="recite-dropdown-heading" lang="en-us">Font Options</h2>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-inner recite-version-container">
  <!-- <div class="recite-auth">
    ({{user.name}})
  </div> -->
  ...
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<a class="skip-link screen-reader-text" href="#main">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h2 id="recite-page-options-dropdown-header" class="recite-dropdown-heading" lang="en-us">Page Options</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h3 id="font-select-header" lang="en-us">Select Font</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Light</h4>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="recite-page-options-image-options" class="recite-page-options-image-options">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div id="recite-tts-moveable-controls" class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<h2 id="recite-ruler-options-dropdown-header" lang="en-us">Ruler Options</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<div class="recite-dropdown-languages recite-radio-buttons recite-tts-hide-on-disabl  
e" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h2 id="recite-page-options-dropdown-header" class="recite-dropdown-heading" lang="e  
n-us">Page Options</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 id="recite-character-spacing-label" lang="en-us">Character Spacing</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="controls-info">
```

```
    <p lang="en-us">Move mouse or use your keyboard keys</p>
```

```
    <p>&nbsp;</p>
```

```
    <p lang="en-us">Shift + Arrow...
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 class="recite-dropdown-subheading" lang="en-us">Page Background</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-page-options-page-mode">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-controls-row">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="cQz90X">

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 id="recite-line-height-label" lang="en-us">Line Height</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Dark</h4>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h2 id="recite-languages-dropdown-header" class="recite-dropdown-heading" lang="en-us">Translation</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div id="recite-tts-moveable-controls" class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-inner">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-radio-buttons" role="radiogroup">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h2 id="recite-ruler-options-dropdown-header" lang="en-us">Ruler Options</h2>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </news/>

Element:

```
<h4 class="wp-block-heading has-palette-color-8-color has-text-color has-link-color wp-elements-2f24add0a1baf2796ea0eb7fb2317de"><recite class="recite-ele recite-ele-style" style="display: inline;" 1...
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<div id="recite-alignment-dropdown" class="recite-dropdown">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<h3 class="ruler-label" id="ruler-opacity-label" lang="en-us">Opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<recite class="recite-ele recite-ele-style" style="display: inline;" lang="">Skip to content</recite>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

## Element:

```
<div id="skip-toolbar-controls">
 Skip Toolbar to Main Content
</div>
```



## SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

## Element:

```
<input type="text" role="searchbox" aria-label="Search Languages" placeholder="Search 134 Languages" id="languageSearch" data-recite-tabbable="" lang="en-us" tabindex="0">
```



## SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

## Element:

```
<div class="recite-dropdown-inner">
 <h2 id="recite-tts-dropdown-header" class="recite-dropdown-heading" lang="en-us">Text to Speech</h2>
</div>
```



## SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

Element:

```
<div class="recite-checkbox-options">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div id="recite-page-options-image-options" class="recite-page-options-image-options">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 id="recite-language-label" class="recite-tts-hide-on-disable" lang="en-us">Voice</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<div class="recite-dropdown-inner">
 <h2 id="recite-settings-dropdown-header" class="recite-dropdown-head
ing" lang="en-us">Recite Me Information</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </news/>

**Element:**

```
<div class="recite-dropdown-inner">
 <h2 id="recite-pointer-options-dropdown-header" lang="en-us">Cur
sor Options</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="jaH03x">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-languages recite-radio-buttons recite-tts-hide-on-disabl
e" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

Element:

```
<div class="recite-dropdown-inner">
 <h3 id="recite-pointer-size-select" lang="en-us">Cursor Size
</h3>

</div>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

Element:

```
<h2 id="recite-fonts-dropdown-header" class="recite-dropdown-heading" lang="en-us">Font Options</h2>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

Element:

```
<h3 class="ruler-label" id="mask-opacity-label" lang="en-us">Opacity Level</h3>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </news/>

Element:

```
<h3 id="font-select-header" lang="en-us">Select Font</h3>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h2 id="recite-screen-mask-options-dropdown-header" lang="en-us">Screen Mask</h2>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Light</h4>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-controls-row">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="controls-info">
 <p lang="en-us">Move mouse or use your keyboard keys</p>
 <p> </p>
 <p lang="en-us">Shift + Arrow...
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 id="recite-playback-speed-label" lang="en-us">Reading Speed:</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="nkJ0fe">Powered by Always0n</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-radio-buttons" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-inner recite-version-container">
 <!-- <div class="recite-auth">
 ({{user.name}})
 </div> -->
 ...
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h3 class="ruler-label" id="mask-size-label" lang="en-us">Window Size</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </news/>

Element:

```
<h2 id="recite-themes-dropdown-header" class="recite-dropdown-heading" lang="en-us">
Color Theme</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<h3 class="recite-dropdown-subheading" lang="en-us">Page Background</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div id="recite-alignment-dropdown" class="recite-dropdown">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 lang="en-us">Select Color</h3>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner recite-version-container">
 <!-- <div class="recite-auth">
 ({{user.name}})
 </div> -->
 ...
</div>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div id="skip-toolbar-controls">
 <a href="" data-recite-tabable="" id="recite-toolbar-skip-link" lang="en-us"
 tabindex="0">Skip Toolbar to Main Content
</div>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

## Element:

```
<h4 class="recite-dropdown-label" lang="en-us">Dark</h4>
```



## SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

## Element:

```
<div class="recite-checkbox-options">
```



## SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

## Element:

```
<nav class="ct-breadcrumbs" data-source="default" itemscope="" itemtype="https://schema.org/BreadcrumbList">
```



## SONDE FIX PLAN

Ensure landmarks are unique. See: <https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

## Element:

```
<h5 class="stk-block-heading__text">
```

## SONDE FIX PLAN



 Ensure the order of headings is semantically correct. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 id="recite-character-spacing-label" lang="en-us">Character Spacing</h3>
```

 **SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 id="font-select-header" lang="en-us">Select Font</h3>
```

 **SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h4 class="recite-dropdown-label" lang="en-us">Light</h4>
```

 **SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h2 id="recite-fonts-dropdown-header" class="recite-dropdown-heading" lang="en-us">Font Options</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 id="recite-line-height-label" lang="en-us">Line Height</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h2 id="recite-themes-dropdown-header" class="recite-dropdown-heading" lang="en-us">Color Theme</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h2 id="recite-ruler-options-dropdown-header" lang="en-us">Ruler Options</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<input type="text" role="searchbox" aria-label="Search Languages" placeholder="Search 134 Languages" id="languageSearch" data-recite-tabable="" lang="en-us" tabindex="0">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div id="recite-tts-moveable-controls" class="recite-dropdown-inner recite-tts-hide-on-disable">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-radio-buttons" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-languages recite-radio-buttons recite-tts-hide-on-disabl
e" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```

```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h2 id="recite-languages-dropdown-header" class="recite-dropdown-heading" lang="en-u
s">Translation</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-page-options-page-mode">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div class="recite-controls-row">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<h3 class="ruler-label" id="ruler-opacity-label" lang="en-us">Opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div id="recite-sidebar-tabs" role="tablist">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div class="recite-dropdown-inner">
 <h2 id="recite-tts-dropdown-header" class="recite-dropdown-headi
ng" lang="en-us">Text to Speech</h2>
</div>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div class="recite-dropdown-inner">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner">
 <h2 id="recite-pointer-options-dropdown-header" lang="en-us">Cur
sor Options</h2>
</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-radio-buttons" role="radiogroup">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="jaH03x">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="nkJ0fe">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<p id="recite-page-structure-copy">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner recite-tts-hide-on-disable">
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner">
 <h3 id="recite-pointer-size-select" lang="en-us">Cursor Size
</h3>
</div>
```



#### SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h2 id="recite-screen-mask-options-dropdown-header" lang="en-us">Screen Mask</h2>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h2 id="recite-page-options-dropdown-header" class="recite-dropdown-heading" lang="en-us">Page Options</h2>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div id="recite-page-options-image-options" class="recite-page-options-image-options">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div id="recite-page-structure-tabs" class="recite-sidebar-tabs" role="tablist">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner">
 <h2 id="recite-settings-dropdown-header" class="recite-dropdown-head
ing" lang="en-us">Recite Me Information</h2>
</div>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-controls-row">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 id="recite-language-label" class="recite-tts-hide-on-disable" lang="en-us">Voice
</h3>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 id="recite-playback-speed-label" lang="en-us">Reading Speed:</h3>
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="controls-info">
 <p lang="en-us">Move mouse or use your keyboard keys</p>
 <p> </p>
 <p lang="en-us">Shift + Arrow...
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-overlay-header">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div id="recite-headings-content" role="tabpanel" aria-labelledby="recite-headings-tab" class="recite-sidebar-content recite-active-tabpanel" aria-hidden="false" style="">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 class="ruler-label" id="mask-opacity-label" lang="en-us">Opacity Level</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 class="ruler-label" id="mask-size-label" lang="en-us">Window Size</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="cQz90X">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 lang="en-us">Select Color</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<h3 lang="en-us">Keyboard Controls</h3>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:  
<https://www.w3.org/WAI/WCAG22/quickref/>

## MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="controls-info">
 <p lang="en-us">Move mouse or use your keyboard keys</p>
 <p> </p>
 <p lang="en-us">Shift + Arrow...
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<div class="recite-dropdown-inner">
```



**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 0, 0), text: rgb(0, 23, 61)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** [/ WCAG 1.4.1](#)

**Element:**

```
MAYOR'S OFFICE
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color

WCAG 1.4.1

differences may not identify this as a link.

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**

```
info@littlerock.gov
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**

```
Accessibility Statement
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**

```
Site Map
```



**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**

```
Privacy Policy
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(50, 159, 91), text: rgb(0, 23, 61)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**

```
http://downtownlittlerock.engage.sasaki.com/
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**

```
Notice of Nondiscrimination
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 1.4.1](#)

**Element:**



```
Contact Us
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Site Map"><recite-focus-bold style="font-weight: bold !important;">Si</recite-focus-bold><r
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(50, 159, 91), text: rgb(0, 23, 61)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="http://downtownlittlerock.engage
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Privacy Policy"><recite-focus-bold style="font-weight: bold
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/mayor-to-host-workforce-development-summit/](#) [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Contact Us"><recite-focus-bold style="font-weight: bold !important;">Cont</recite-focus-bold><recite-focus-n
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/mayor-to-host-workforce-development-summit/](#) [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Accessibility Statement"><recite-focus-bold style="font-weight: bo
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/mayor-to-host-workforce-development-summit/](#) [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-a-recite-focus-text="Notice of Nondiscrimination"><recite-focus-bold style="font-weight: b
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** [/mayor-to-host-workforce-development-summit/](#) [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="info@littlerock.gov"><recite-focus-bold style="font-weight: bold !important;"
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(249, 198, 16), text: rgb(50, 159, 91)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** [/news/](#) [WCAG 1.4.1](#)

**Element:**

```
MacArthur Park 5k
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(249, 198, 16), text: rgb(50, 159, 91)). Users who cannot perceive color differences may not identify this as a link.

**MEDIUM**

WCAG 1.4.1

**Page:** [/news/](#) [WCAG 1.4.1](#)

**Element:**

```
City Manager
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Notice of Nondiscrimination"><recite-focus-bold style="font-weight: b
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Privacy Policy"><recite-focus-bold style="font-weight: bold
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(50, 159, 91), text: rgb(0, 23, 61)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="http://downtownlittlerock.engage
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#) [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Site Map"><recite-focus-bold style="font-weight: bold !important;">Si</recite-focus-bold><r
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#) [WCAG 1.4.1](#)

**Element:**

```
<recite-focus-text data-recite-focus-text="Contact Us"><recite-focus-bold style="font-weight: bold !important;">Cont</recite-focus-bold><recite-focus-n
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#) [WCAG 1.4.1](#)

## Element:

```
<recite-focus-text data-recite-focus-text="Accessibility Statement"><recite-focus-bold style="font-weight: bold">
```



## SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

## MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(66, 156, 240), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 1.4.1](#)

## Element:

```
<recite-focus-text data-recite-focus-text="info@littlerock.gov"><recite-focus-bold style="font-weight: bold !important;">
```



## SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

## MEDIUM

Insufficient color contrast: 3.36:1 (required: 4.5:1 for normal text).

Foreground: rgb(50, 159, 91), background: rgb(255, 255, 255). Text: "Skip to content" [WCAG 1.4.3](#)

Page: [/](#) [WCAG 1.4.3](#)

## Element:

```
Skip to content
```

**3.36:1** CURRENT**4.54:1** SUGGESTED

Skip to content



Skip to content

☒ #329f5b on ☐ #ffffff☒ #0d8846 on ☐ #ffffff

## SONDE FIX PLAN

Current ratio: 3.36:1 (need 4.5:1). Change foreground from #329f5b to #0d8846 (ratio: 4.5:1).

## MEDIUM

Insufficient color contrast: 3.36:1 (required: 4.5:1 for normal text).

Foreground: rgb(50, 159, 91), background: rgb(255, 255, 255). Text:

[WCAG 1.4.3](#)

"http://downtownlittlerock.engage.sasaki.com/"

Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> WCAG 1.4.3

Element:

```
http://downtownlittlerock.engage.sasaki.com/
```

3.36:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED

http://downtownlittlerock.enga...



http://downtownlittlerock.enga...

☒ #329f5b on ☐ #ffffff

☒ #0d8846 on ☐ #ffffff



SONDE FIX PLAN

Current ratio: 3.36:1 (need 4.5:1). Change foreground from #329f5b to #0d8846 (ratio: 4.5:1).

Insufficient color contrast: 3.36:1 (required: 4.5:1 for normal text).

MEDIUM

Foreground: rgb(50, 159, 91), background: rgb(255, 255, 255). Text: "Home"

WCAG 1.4.3



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/> WCAG 1.4.3

Element:

```
Home
```

3.36:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED

Home



Home

☒ #329f5b on ☐ #ffffff

☒ #0d8846 on ☐ #ffffff



SONDE FIX PLAN

Current ratio: 3.36:1 (need 4.5:1). Change foreground from #329f5b to #0d8846 (ratio: 4.5:1).

Insufficient color contrast: 4.26:1 (required: 4.5:1 for normal text).

MEDIUM

Foreground: rgb(255, 255, 255), background: rgb(233, 48, 45). Text: "Undo"

WCAG 1.4.3



Page: </mayor-to-host-workforce-development-summit/> WCAG 1.4.3

Element:

```
<recite class="recite-ele recite-ele-style" lang="en-us" style="display: inline;">Undo</recite>
```

4.26:1 ✗ CURRENT

4.52:1 ✓ SUGGESTED

Undo



Undo

☐ #ffffff on ☒ #e9302d ☒ #0f0e0e on ☒ #e9302d

**SONDE FIX PLAN**

Current ratio: 4.26:1 (need 4.5:1). Change foreground from #ffffff to #0f0e0e (ratio: 4.5:1).

**MEDIUM**

Clicking "#alwayson\_chatbot > div:nth-of-type(1) > div:nth-of-type(2)

> button" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / [WCAG 4.1.3](#)

**Element:**

```
<button tabindex="0"><img class="dNwwy+" src="https://cdn.alwayson.ai/public-storage/images/adbf0f1b-635a-4072-a8cd-73eb6076f931/8d691e10-67b1-48eb-9ffa-56fdf71c279a-icon.png" crossorigin="anonymous"
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

**MEDIUM**

Clicking "#recite-decrease-reading-speed" inserts 8 element(s)

without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 4.1.3](#)

**Element:**

```
<button data-recite-tabbable="" aria-label="Decrease playback speed" data-key="player.playbackSpeed" data-value="0.1" class="recite-submenu-button recite-submenu-button-minus" id="recite-decrease-read
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

**MEDIUM**

Clicking "#recite-ruler-color-select-Black" inserts 20 element(s)

without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#) [WCAG 4.1.3](#)

**Element:**

```
<button id="recite-ruler-color-select-Black" data-recite-tabbable="" data-value="#000000" class="recite-color-select-btn recite-ruler-color color-active" aria-label="Colour Option 1 of 10 - Black" tit
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM**

Clicking "Back to top" inserts 1 element(s) without ARIA live region.  
Screen readers will not announce this dynamic content.

WCAG 4.1.3



**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 4.1.3](#)

**Element:**

```
<button id="recite-languages-back-to-top-link" aria-label="Back to top translation 1
ist" data-recite-tabbable="" lang="en-us" tabindex="0">
 <svg xmlns="http://www.w3.org/2000/s
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM**

Clicking "#recite-increase-char-spacing" inserts 11 element(s) without  
ARIA live region. Screen readers will not announce this dynamic  
content.

WCAG 4.1.3



**Page:** </mayor-to-host-workforce-development-summit/> [WCAG 4.1.3](#)

**Element:**

```
<button data-recite-tabbable="" aria-label="Increase character spacing" class="recit
e-submenu-button" id="recite-increase-char-spacing" lang="en-us" tabindex="0">
 <svg
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

**MEDIUM**

Clicking "#recite-increase-reading-speed" inserts 20 element(s)  
without ARIA live region. Screen readers will not announce this  
dynamic content.

WCAG 4.1.3



**Page:** </news/> [WCAG 4.1.3](#)

**Element:**

```
<button data-recite-tabbable="" aria-label="Increase playback speed" class="recite-s
ubmenu-button recite-submenu-button-plus" id="recite-increase-reading-speed" data-ke
y="player.playbackSpeed" data-va
```

**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

**MEDIUM**

Clicking "#recite-decrease-reading-speed" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3 

**Page:** </news/> [WCAG 4.1.3](#)

**Element:**

```
<button data-recite-tabable="" aria-label="Decrease playback speed" data-key="playbackSpeed" data-value="0.1" class="recite-submenu-button recite-submenu-button-minus" id="recite-decrease-read
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

**MEDIUM**

Clicking "Back to top" inserts 11 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3 

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.3](#)

**Element:**

```
<button id="recite-languages-back-to-top-link" aria-label="Back to top translation list" data-recite-tabable="" lang="en-us" tabindex="0">
 <svg xmlns="http://www.w3.org/2000/s
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

**MEDIUM**

Clicking "#recite-ruler-color-select-Navy" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3 

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 4.1.3](#)

**Element:**

```
<button id="recite-ruler-color-select-Navy" data-recite-tabable="" data-value="#003366" class="recite-color-select-btn recite-ruler-color" aria-label="Colour Option 2 of 10 - Navy" title="Colour Opti
```



**SONDE FIX PLAN**

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

"Accept" is visually at position 31 but receives focus at position 3 (drift: 28).

WCAG 2.4.3



Page: / [WCAG 2.4.3](#)

Element:

```
<button>Accept</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Go to Recite Me website" is visually at position 5 but receives focus at position 10 (drift: 5).

WCAG 2.4.3



Page: [/mayor-to-host-workforce-development-summit/](#) [WCAG 2.4.3](#)

Element:

```
<div>Go to Recite Me website</div>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Information" is visually at position 1 but receives focus at position 7 (drift: 6).

WCAG 2.4.3



Page: [/mayor-to-host-workforce-development-summit/](#) [WCAG 2.4.3](#)

Element:

```
<button>Information</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Reset" is visually at position 2 but receives focus at position 8 (drift: 6).

WCAG 2.4.3



Page: [/mayor-to-host-workforce-development-summit/](#) [WCAG 2.4.3](#)

Element:

```
<button>Reset</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Mayor to Host Workforce Development Summit" is visually at position 10 but receives focus at position 2 (drift: 8).

WCAG 2.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.3](#)

**Element:**

```
<button>Mayor to Host Workforce Development Summit</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Set toolbar mode to light" is visually at position 3 but receives focus at position 9 (drift: 6).

WCAG 2.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.3](#)

**Element:**

```
<button>Set toolbar mode to light</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Headings" is visually at position 9 but receives focus at position 1 (drift: 8).

WCAG 2.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.3](#)

**Element:**

```
<button>Headings</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Close Recite" is visually at position 6 but receives focus at position 11 (drift: 5).

WCAG 2.4.3 

Page: </mayor-to-host-workforce-development-summit/> [WCAG 2.4.3](#)

**Element:**

```
<div>Close Recite</div>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Close Recite" is visually at position 6 but receives focus at position 11 (drift: 5).

WCAG 2.4.3 

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<div>Close Recite</div>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Information" is visually at position 1 but receives focus at position 7 (drift: 6).

WCAG 2.4.3 

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<button>Information</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Headings" is visually at position 9 but receives focus at position 1 (drift: 8).

WCAG 2.4.3 

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<button>Headings</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Reset" is visually at position 2 but receives focus at position 8 (drift: 6).

WCAG 2.4.3 

**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<button>Reset</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Statement on the Death of City Manager Bruce T. Moore" is visually at position 10 but receives focus at position 2 (drift: 8).

WCAG 2.4.3 

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<button>Statement on the Death of City Manager Bruce T. Moore</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Go to Recite Me website" is visually at position 5 but receives focus at position 10 (drift: 5).

WCAG 2.4.3 

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<div>Go to Recite Me website</div>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Set toolbar mode to light" is visually at position 3 but receives focus at position 9 (drift: 6).

WCAG 2.4.3 

Page: </statement-on-the-death-of-city-manager-bruce-t-moore/> [WCAG 2.4.3](#)

**Element:**

```
<button>Set toolbar mode to light</button>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

Video element has no audio description track. Blind users cannot perceive visual-only content in the video.

WCAG 1.2.5 

Page: [/](#) [WCAG 1.2.5](#)

**Element:**

```
<video class="stk-video-background" autoplay="" muted="" loop="" playsinline="" src="https://littlerock.gov/wp-content/uploads/2025/06/LR-CropLG1.mp4" poster=""></video>
```

**SONDE FIX PLAN**

Add a `<track kind="descriptions" src="descriptions.vtt" srclang="en" label="Audio Descriptions">` element inside the `<video>` tag.

**MEDIUM**

Element overflows viewport by 46px at 320px width.

WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<div class="wp-block-stackable-carousel stk-block-carousel stk--is-slide stk--infinite-scroll stk--arrows-outside stk--arrows-justify-space-between stk--arrows-align-center stk-block stk-59ddc90" data
```

**SONDE FIX PLAN**

Set `max-width: 100%` or use `overflow-wrap` to prevent horizontal overflow.

**MEDIUM**

Element overflows viewport by 46px at 320px width.

WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<div class="stk-column-wrapper stk-block-column__content stk-container stk-093fc91-container stk--no-background stk--no-padding"><div class="stk-block-content stk-inner-blocks stk-093fc91-inner-blocks
```

**SONDE FIX PLAN**

Set `max-width: 100%` or use `overflow-wrap` to prevent horizontal overflow.

**MEDIUM**

Element overflows viewport by 46px at 320px width.

WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<div class="stk-row stk-inner-blocks stk-block-content stk-content-align stk-3f7d975-column alignfull">
<div class="wp-block-stackable-column stk-block-column stk-column stk-block stk-093fc91" data-v=
```

**SONDE FIX PLAN**

Set `max-width: 100%` or use `overflow-wrap` to prevent horizontal overflow.

**MEDIUM**

Element overflows viewport by 46px at 320px width.

WCAG 1.4.10

**Page:** [WCAG 1.4.10](#)**Element:**

```
<div class="stk-block-carousel__content-wrapper"><div class="stk-row stk-inner-block
s stk-block-content stk-block-carousel__slider-wrapper stk-content-align stk-59ddc90
-column"><div class="stk-block-c
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

**MEDIUM** Element overflows viewport by 46px at 320px width.

WCAG 1.4.10



**Page:** [WCAG 1.4.10](#)

**Element:**

```
<div class="wp-block-stackable-column stk-block-column stk-column stk-block stk-093f
c91" data-v="4" data-block-id="093fc91"><div class="stk-column-wrapper stk-block-col
umn__content stk-container stk-0
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

**MEDIUM** Element overflows viewport by 46px at 320px width.

WCAG 1.4.10



**Page:** [WCAG 1.4.10](#)

**Element:**

```
<h2 class="stk-block-heading__text has-text-color has-text-align-center">Quick Links
</h2>
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

**MEDIUM** Element overflows viewport by 46px at 320px width.

WCAG 1.4.10



**Page:** [WCAG 1.4.10](#)

**Element:**

```
<div class="wp-block-stackable-heading stk-block-heading stk-block-heading--v2 stk-b
lock stk-843d9ea" id="quick-links" data-block-id="843d9ea"><style>.stk-843d9ea .stk-
block-heading__text{color:var(--
```

**SONDE FIX PLAN**

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

**MEDIUM** Content clipped by 262px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12





Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.12](#)

**Element:**

```
<ul class="sub-menu"><li id="menu-item-2332" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-has-children menu-item-2332 animated-submenu-inline"><a href="https://littlerock."
```



**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

**MEDIUM**

Content clipped by 71px when text spacing is applied per WCAG 1.4.12.

WCAG 1.4.12

Text may be hidden when users adjust spacing for readability.

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.12](#)

**Element:**

```
Skip to content
```



**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

**MEDIUM**

Content clipped by 22px when text spacing is applied per WCAG

WCAG 1.4.12

1.4.12. Text may be hidden when users adjust spacing for readability.

Page: </mayor-to-host-workforce-development-summit/> [WCAG 1.4.12](#)

**Element:**

```
<label class="Mgyk7s mquh9r form-label" for="close_chatbot_welcome_bubble">Close chatbot welcome bubble</label>
```



**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

**MEDIUM**

Content clipped by 14px when text spacing is applied per WCAG 1.4.12.

WCAG 1.4.12

Text may be hidden when users adjust spacing for readability.

Page: </news/> [WCAG 1.4.12](#)

**Element:**

```
MacArthur Park 5k
```

**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

**LOW**

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby by attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute



Page: [/](#)

**Element:**

```
<h5 class="stk-block-heading__text has-text-color has-white-color has-text-align-center"></h5>
```

**SONDE FIX PLAN**

Ensure headings have discernible text. See: <https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See: <https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ja" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="it" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="co" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="en-GB" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - GB, Audio ..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="et" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ckb" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="la" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ln" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set ..." data-language="lt" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Lithuanian, Audio av..."
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yue" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="fr-CA" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Canadian , ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="de" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="id" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Indonesian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="ml" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Malayalam, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ar" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="az" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set ..." data-language="zh-TW" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Chinese Traditional,....
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gom" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="prs" role="button" data-text-direction="rtl" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lb" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="mni-mtei" role="button" data-text-direction="ltr" data-font="Noto Sans Meetei May..." data-recite-tabbable="" data-recite-translat...="false" aria-la...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="am" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bho" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set ..." data-language="bg" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable="" data-recite-translation="false" aria-label="Bulgarian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ceb" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="doi" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="haw" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="as" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="en-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - US, Audio ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ht" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hmn" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kri" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="be" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fil" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="jv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="mk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Macedonian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="af" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Afrikaans, Audio ava..."...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="da" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="fr-FR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Europe, Aud...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ig" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ms" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ay" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ny" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ha" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="hu" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Hungarian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="is" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Icelandic, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ilo" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ku" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ky" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mai" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sq" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="ga" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Irish (Gaelic), Audi..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="km" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ca" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>



**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ee" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="el" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ko" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="mt" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="zh-CN" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Chinese Simplified, ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="dv" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ka" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="iw" role="button" data-text-direction="rt
l" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="pt" role="button" data-text-direc
tion="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria
-label="Portuguese (Portugal..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ro" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="sn" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ti" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ak" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="ur" role="button" data-text-direction="rtl" data-font="Noto Nastaliq Urdu" data-recite-tabbable="" data-recite-translate..."false" aria-label="Urdu, ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set ..." data-language="no" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Norwegian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sd" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ta" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="te" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ps" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ru" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="st" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="th" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ts" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="zu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="sl" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Slovenian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="es-ES" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Spanish - Europe, Au....
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="uk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Ukrainian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="vi" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Vietnamese, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="om" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sw" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="si" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="fa" role="button" data-text-direction="rtl" data-font="" data-recite-tabable="" data-recite-translat...="false" aria-label="Persian (Farsi), Aud..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="qu" role="button" data-text-direction="ltr" data-font="" data-recite-tabable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="su" role="button" data-text-direction="ltr" data-font="" data-recite-tabable="" data-recite-translat...="false" aria-label="Sundanese, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lus" role="button" data-text-direction="ltr" data-font="" data-recite-tab...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set ..." data-language="pt-BR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Brazil),...."
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set ..." data-language="gd" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Scots Gaelic, Audio ..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="xh" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="my" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ne" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="nso" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set ..." data-language="es-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Spanish - US, Audio ..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </downtown-master-plan-kickoff-event-set-for-oct-11/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="so" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </downtown-master-plan-kickoff-event-set-for-oct-11/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="uz" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="zh-CN" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translated="false" aria-label="Chinese Simplified, ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ca" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ny" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="az" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="bg" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Bulgarian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="zu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="xh" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="en-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - US, Audio ..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="su" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Sundanese, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ha" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="co" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="el" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ps" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>



**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="am" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="doi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="dv" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gom" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ig" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="fa" role="button" data-text-direction="rtl" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Persian (Farsi), Aud..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bho" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="zh-TW" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Chinese Traditional,....
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ceb" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="as" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ne" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="lg" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yue" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="la" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="be" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="th" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ku" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lb" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sq" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="mk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Macedonian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="pt-BR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Brazil),....
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ru" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="st" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="es-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Spanish - US, Audio ...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ts" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="af" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable="" data-recite-translation="false" aria-label="Afrikaans, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tr" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fi" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="jv" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sd" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="si" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ta" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ti" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="gd" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Scots Gaelic, Audio ..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="en-GB" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translated="false" aria-label="English - GB, Audio ..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ja" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="it" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ar" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="da" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="prs" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="sl" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Slovenian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="ga" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Irish (Gaelic), Audi..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ky" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ro" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ko" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ln" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kri" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="ml" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Malayalam, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="my" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="vi" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Vietnamese, Audio av..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="et" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fil" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="hu" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Hungarian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sw" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="mni-mtei" role="button" data-text-direction="ltr" data-font="Noto Sans Meetei May..." data-recite-tabbable="" data-recite-translat...="false" aria-la...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="id" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Indonesian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="om" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="ur" role="button" data-text-direction="rtl" data-font="Noto Nastaliq Urdu" data-recite-tabbable="" data-recite-translate...="false" aria-label="Urdu, ...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ee" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="fr-CA" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Canadian , ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="fr-FR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Europe, Aud....
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="no" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Norwegian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set ..." data-language="pt" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Portugal...)..."
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>



**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="qu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ht" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="is" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Icelandic, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="so" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="es-ES" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translated="false" aria-label="Spanish - Europe, Au....
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mt" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lus" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hmn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="km" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nso" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="te" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ckb" role="button" data-text-direction="rtl" data-font="" data-recite-tab...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gu" role="button" data-text-direction="ltr" data-font="" data-recite-tab...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="haw" role="button" data-text-direction="ltr" data-font="" data-recite-tab...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="uk" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable="" data-recite-translation="false" aria-label="Ukrainian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="uz" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ilo" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mai" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="iw" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set ..." data-language="lt" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Lithuanian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ms" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ka" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="sr" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="de" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ak" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </mayor-to-host-workforce-development-summit/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ay" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="am" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sq" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ar" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ay" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="be" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="af" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Afrikaans, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="az" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="it" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="si" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ee" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="la" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="mk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Macedonian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="mni-mtei" role="button" data-text-direction="ltr" data-font="Noto Sans Meetei May..." data-recite-tabbable="" data-recite-translat...="false" aria-label="Meetei Mayek, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nso" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Ndebele, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bs" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Bosnian, Audio av..."...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="et" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ka" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gom" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ko" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="lb" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ms" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="hr" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="doi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ht" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ha" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="gd" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Scots Gaelic, Audio ..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sd" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="fr-FR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Europe, Aud..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="el" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="haw" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lus" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bho" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ca" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="fr-CA" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Canadian , ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kri" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>



**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="zh-TW" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Chinese Traditional,...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="prs" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="dv" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="iw" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="hu" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Hungarian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="bg" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Bulgarian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="co" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="lt" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable="" data-recite-translat...="false" aria-label="Lithuanian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fil" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ilo" role="button" data-text-direction="ltr" data-font="" data-recite-tab...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="ga" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Irish (Gaelic), Audi..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="jv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mt" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set ..." data-language="no" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Norwegian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="zh-CN" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Chinese Simplified, ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ja" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="my" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="pt-BR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Brazil),...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hmn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yue" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ceb" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="en-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - US, Audio
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="is" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Icelandic, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ku" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="qu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ru" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ny" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set ..." data-language="en-GB" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - GB, Audio ...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mai" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="id" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Indonesian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ckb" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ln" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="om" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ps" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="fa" role="button" data-text-direction="rtl" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Persian (Farsi), Aud..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set ..." data-language="pt" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Portugal..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ro" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ig" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="km" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="ml" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Malayalam, Audio ava..."...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="st" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="sl" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translation="false" aria-label="Slovenian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="da" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="de" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="gn" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ky" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ne" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="te" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sw" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ts" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="yo" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="th" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set ..." data-language="ur" role="button" data-text-direc
tion="rtl" data-font="Noto Nastaliq Urdu" data-recite-tabbable="" data-recite-transl
at..."false" aria-label="Urdu, ...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="uz" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set ..." data-language="uk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Ukrainian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="vi" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Vietnamese, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="zu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ta" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="xh" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="tr" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ak" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: [/news/](#)



**Element:**

```
<li class="recite-language-set ..." data-language="su" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable="" data-recite-translation="false" aria-label="Sundanese, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tg" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ti" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="so" role="button" data-text-direction="ltr" data-font="" data-recite-tabtable..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="es-ES" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Spanish - Europe, Au....
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set ..." data-language="es-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Spanish - US, Audio
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </news/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="as" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="gd" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Scots Gaelic, Audio ..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="xh" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="pl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="pt" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Portugal...)..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="st" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="so" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sw" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ak" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="uz" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="my" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="uk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Ukrainian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="om" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ta" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="lt" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Lithuanian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="mk" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Macedonian, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ti" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="vi" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Vietnamese, Audio av..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mai" role="button" data-text-direction="ltr" data-font="" data-recite-tab...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ps" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="es-ES" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Spanish - Europe, Au..."
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set ..." data-language="es-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Spanish - US, Audio ...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="te" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="th" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="zu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ts" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ln" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="ml" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Malayalam, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="mni-mtei" role="button" data-text-direction="ltr" data-font="Noto Sans Meetei May..." data-recite-tabbable="" data-recite-translat...="false" aria-la...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ne" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set ..." data-language="su" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Sundanese, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="tg" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="ur" role="button" data-text-direction="rtl" data-font="Noto Nastaliq Urdu" data-recite-tabbable="" data-recite-translate="false" aria-label="Urdu, ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lb" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lus" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ru" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="si" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set ..." data-language="sl" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Slovenian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set ..." data-language="no" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Norwegian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sa" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="fa" role="button" data-text-direction="rtl" data-font="" data-recite-tabtable="" data-recite-translat...="false" aria-label="Persian (Farsi), Aud..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ro" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nso" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sd" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="co" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ms" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="nl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bm" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="haw" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="et" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ka" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="is" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Icelandic, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="be" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="fr-CA" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Canadian , ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="az" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kk" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gl" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>



**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="gu" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="la" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="ig" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="lo" role="button" data-text-direction="lt
r" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="km" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="en-US" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - US, Audio ...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ca" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set ..." data-language="hu" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Hungarian, Audio ava..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="lv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ee" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ky" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ay" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="iw" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="it" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fil" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="gom" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="fy" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="af" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Afrikaans, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="dv" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ht" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>



LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ilo" role="button" data-text-direction="ltr" data-font="" data-recite-tabbb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set ..." data-language="id" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Indonesian, Audio av..."...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="qu" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="am" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="kri" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="en-GB" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="English - GB, Audio
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ceb" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="cs" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ar" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set ..." data-language="bg" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translate="false" aria-label="Bulgarian, Audio ava..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set ..." data-language="zh-TW" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Chinese Traditional,....
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="yue" role="button" data-text-direction="ltr" data-font="" data-recite-tabb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

#### Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ha" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full reci
te-standard-border-radius" data-language="as" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="ga" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Irish (Gaelic), Audi..."...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#)

**Element:**

```
<li class="recite-language-set ..." data-language="fr-FR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="French - Europe, Aud....
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#)

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="doi" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="de" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ny" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="bho" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set ..." data-language="pt-BR" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Portuguese (Brazil),...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hr" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="sq" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="hmn" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="el" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ja" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ckb" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```



**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="eo" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="mt" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ku" role="button" data-text-direction="rtl" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="prs" role="button" data-text-direction="rtl" data-font="" data-recite-tabbb...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set ..." data-language="zh-CN" role="button" data-text-direction="ltr" data-font="" data-recite-tabbable="" data-recite-translat...="false" aria-label="Chinese Simplified, ...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

Element:

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="da" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```



#### SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



Page: </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="jv" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element



**Page:** </statement-on-the-death-of-city-manager-bruce-t-moore/>

**Element:**

```
<li class="recite-language-set recite-default-button recite-default-button-full recite-standard-border-radius" data-language="ko" role="button" data-text-direction="ltr" data-font="" data-recite-tabba...
```

**SONDE FIX PLAN**

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

**LOW**

Deep focus region: aside "Latest News MacArthur Park 5k 24th Ann" has 17 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys.

WCAG 2.4.1 

**Page:** </news/> [WCAG 2.4.1](#)

**Element:**

```
<aside role="aside">Latest News
```

```
MacArthur Park 5k
24th Ann</aside>
```

**SONDE FIX PLAN**

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

**LOW**

Broken link: <https://littlerock.bonfirehub.com/login/registration> returned status 404 Not Found after 1 attempts



**Page:** [/](#)

**Element:**

```
Become a Vendor
```

LOW

Broken link: <https://littlerock.bonfirehub.com/portal/?tab=openOpportunities> returned status 404 Not Found after 1 attempts



Page: [/](#)

Element:

```
Open Bid 0 pportunities
```

LOW

Broken link: <https://twitter.com/CityLittleRock> returned status 403 Forbidden after 1 attempts



Page: [/](#)

Element:

```

```

LOW

Broken link: <https://twitter.com/CityLittleRock> returned status 403 Forbidden after 1 attempts



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

Element:

```

```

LOW

Broken link: <https://littlerock.bonfirehub.com/login/registration> returned status 404 Not Found after 1 attempts



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

Element:

```
Become a Vendor
```

LOW

Broken link: <https://littlerock.bonfirehub.com/portal/?tab=openOpportunities> returned status 404 Not Found after 1 attempts



Page: [/downtown-master-plan-kickoff-event-set-for-oct-11/](#)

Element:

```
Open Bid 0 pportunities
```

|                                                                                                                              |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| LOW                                                                                                                          | Broken link: <a href="https://littlerock.bonfirehub.com/portal/?tab=openOpportunities">https://littlerock.bonfirehub.com/portal/?tab=openOpportunities</a> returned status 404 Not Found after 1 attempts |    |    |    |
| <b>Page:</b> <a href="/mayor-to-host-workforce-development-summit/">/mayor-to-host-workforce-development-summit/</a>         |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <b>Element:</b>                                                                                                              |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <pre>&lt;a href="https://littlerock.bonfirehub.com/portal/?tab=openOpportunities"&gt;Open Bid 0 pportunities&lt;/a&gt;</pre> |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| LOW                                                                                                                          | Broken link: <a href="https://littlerock.bonfirehub.com/login/registration">https://littlerock.bonfirehub.com/login/registration</a> returned status 404 Not Found after 1 attempts                       |    |    |    |
| <b>Page:</b> <a href="/mayor-to-host-workforce-development-summit/">/mayor-to-host-workforce-development-summit/</a>         |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <b>Element:</b>                                                                                                              |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <pre>&lt;a href="https://littlerock.bonfirehub.com/login/registration"&gt;Become a Vendor&lt;/a&gt;</pre>                    |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| LOW                                                                                                                          | Broken link: <a href="https://twitter.com/CityLittleRock">https://twitter.com/CityLittleRock</a> returned status 403 Forbidden after 1 attempts                                                           |    |    |    |
| <b>Page:</b> <a href="/mayor-to-host-workforce-development-summit/">/mayor-to-host-workforce-development-summit/</a>         |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <b>Element:</b>                                                                                                              |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <pre>&lt;a href="https://twitter.com/CityLittleRock"&gt;&lt;/a&gt;</pre>                                                     |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| LOW                                                                                                                          | Broken link: <a href="https://littlerock.bonfirehub.com/portal/?tab=openOpportunities">https://littlerock.bonfirehub.com/portal/?tab=openOpportunities</a> returned status 404 Not Found after 1 attempts |  |  |  |
| <b>Page:</b> <a href="/news/">/news/</a>                                                                                     |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <b>Element:</b>                                                                                                              |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <pre>&lt;a href="https://littlerock.bonfirehub.com/portal/?tab=openOpportunities"&gt;Open Bid 0 pportunities&lt;/a&gt;</pre> |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| LOW                                                                                                                          | Broken link: <a href="https://littlerock.bonfirehub.com/login/registration">https://littlerock.bonfirehub.com/login/registration</a> returned status 404 Not Found after 1 attempts                       |  |  |  |
| <b>Page:</b> <a href="/news/">/news/</a>                                                                                     |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <b>Element:</b>                                                                                                              |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| <pre>&lt;a href="https://littlerock.bonfirehub.com/login/registration"&gt;Become a Vendor&lt;/a&gt;</pre>                    |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |
| LOW                                                                                                                          | Broken link: <a href="https://twitter.com/CityLittleRock">https://twitter.com/CityLittleRock</a> returned status 403 Forbidden after 1 attempts                                                           |  |  |  |
| <b>Page:</b> <a href="/news/">/news/</a>                                                                                     |                                                                                                                                                                                                           |                                                                                       |                                                                                       |                                                                                       |

**Element:**

```

```

**LOW**

Broken link: <https://littlerock.bonfirehub.com/login/registration> returned status 404 Not Found after 1 attempts



**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#)

**Element:**

```
Become a Vendor
```

**LOW**

Broken link: <https://twitter.com/CityLittleRock> returned status 403 Forbidden after 1 attempts



**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#)

**Element:**

```

```

**LOW**

Broken link: <https://littlerock.bonfirehub.com/portal/?tab=openOpportunities> returned status 404 Not Found after 1 attempts



**Page:** [/statement-on-the-death-of-city-manager-bruce-t-moore/](#)

**Element:**

```
Open Bid Opportunities
```

## Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S / (S + P/N))$$

where S = sensitivity (750), P =  $\Sigma(\text{weight} \times \text{count})$ , N = pages scanned

| TIER     | WEIGHT | EXAMPLES                                |
|----------|--------|-----------------------------------------|
| Critical | 10     | Keyboard traps, missing page language   |
| High     | 3      | Missing alt text, insufficient contrast |
| Medium   | 1      | Heading hierarchy, unclear link purpose |
| Low      | 0.25   | Best-practice suggestions               |

*The Sonde Score is a living standard (vO.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.*

### Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

[!\[\]\(3cb60d42b10e53f9522bb0b392c1c4cd\_img.jpg\) View Findings Data](#)[!\[\]\(d0262bbe9d2356661a2e89321dfcc781\_img.jpg\) Track Changes](#)[!\[\]\(51514032c8ca341817228f39f1307b05\_img.jpg\) Nominate a Site](#)[!\[\]\(c444627dab9fee9a1550c053ffaaaae2\_img.jpg\) Report a Scanning Issue](#)