



Sonde

Accessibility Health Check

<https://manchesternh.gov>

920



Excellent

April 28, 2026

Provided free by Sonde

<https://daylight.sonde.life/usgov/manchesternh-gov/>

17 pages | 697 findings | 23 critical | 169 high | 318 medium | 187 low | 41.0 avg/page |
47,023 elements | 283 with findings | 99.4% ECR | 3m 8s total | 11.1s per page

Top Findings

 Copy a direct link to share a finding ·  Open a discussion to give feedback on a finding

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2  

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<input name="dnn$ctr4476$Default$List$txtSearch" type="text" id="dnn_ctr4476_Default_List_txtSearch">
```



SONDE FIX PLAN

Ensure every form element has a label. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value> Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2  

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<select name="dnn$ctr4476$Default$List$drpSearchableColumns" id="dnn_ctr4476_Default_List_drpSearchableColumns" class="NormalTextBox">
```



SONDE FIX PLAN

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value> Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

CRITICALWCAG 4.1.2  

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<select name="dnn$ctr4476$Default$List$drpSearchMode" id="dnn_ctr4476_Default_List_drpSearchMode" class="NormalTextBox">
```

**SONDE FIX PLAN**

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value> Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

CRITICALWCAG 4.1.2  

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<input name="dnn$ctr4477$Default$List$txtSearch" type="text" id="dnn_ctr4477_Default_List_txtSearch">
```

**SONDE FIX PLAN**

Ensure every form element has a label. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value> Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist,

CRITICALWCAG 4.1.2  

references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<select name="dnn$ctr4477$Default$List$drpSearchableColumns" id="dnn_ctr4477_Default_List_drpSearchableColumns" class="NormalTextBox">
```



SONDE FIX PLAN

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value> Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

Select element must have an accessible name: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

CRITICAL

WCAG 4.1.2 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<select name="dnn$ctr4477$Default$List$drpSearchMode" id="dnn_ctr4477_Default_List_drpSearchMode" class="NormalTextBox">
```



SONDE FIX PLAN

Ensure select element has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/name-role-value> Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

Insufficient color contrast: 2.61:1 (required: 4.5:1 for normal text).

CRITICAL

Foreground: rgb(255, 255, 255), background: rgb(112, 161, 239). Text: "Departmental Expenditures"

WCAG 1.4.3 

Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.3](#)

Element:

```
<a href="https://www.manchesternh.gov/Departments/Airport/Departmental-Expenditures">Departmental Expenditures</a>
```

2.61:1 ✖ CURRENT

4.54:1 ✔ SUGGESTED

Departmental Expenditures → Departmental Expenditures

☐ #ffffff on ☐ #70a1ef ☒ #383737 on ☐ #70a1ef

 **SONDE FIX PLAN**
Current ratio: 2.61:1 (need 4.5:1). Change foreground from #ffffff to #383737 (ratio: 4.5:1). Current ratio: 1.87:1 (need 4.5:1). Change foreground from #ffffff to #4e4d4d (ratio: 4.5:1).

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

<!-- a11y: role="image" -->

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Contact-Us](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: [/Departments](#) [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1	 
Page: /Departments/Assessors/Assessor-FAQ	WCAG 1.1		
Element:			
<pre><!-- a11y: role="image" --></pre>			
			
SONDE FIX PLAN			
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.			

HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1	 
Page: /Departments/Assessors/Assessor-FAQ	WCAG 1.1		
Element:			
<pre><!-- a11y: role="image" --></pre>			
			
SONDE FIX PLAN			
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.			

HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1	 
Page: /Departments/Assessors/Assessor-FAQ	WCAG 1.1		
Element:			
<pre><!-- a11y: role="image" --></pre>			
			
SONDE FIX PLAN			
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.			

HIGH	Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.	WCAG 1.1.1	 
Page: /Departments/Assessors/Assessor-FAQ	WCAG 1.1		
Element:			
<pre><!-- a11y: role="image" --></pre>			
			
SONDE FIX PLAN			

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```

 **SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.1.1](#)

Element:

```
<!-- a11y: role="image" -->
```



SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #0000ff, background color: #a9a9a9, font size: 11.3pt (15px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3



Page: [/](#) [WCAG 1.4.3](#)

Element:

```
<td class="EventSelectedDay EventTodayDay EventDay" align="center" valign="top">
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.93 (foreground color: #ffffff, background color: #ff6600, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3



Page: [/](#) [WCAG 1.4.3](#)

Element:

```
<a id="ctlEvents_Mod_3737_EventID_105727_EventDate_2026Apr13" href="https://www.manchesternh.gov/City-Of-Manchester/ModuleID/3737/ItemID/105727/mctl/EventDetails" style="color:White;">CANCELED: Highwa...
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.88 (foreground color: #ffffff, background color: #25aa99, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: / [WCAG 1.4.3](#)

Element:

```
<a id="ctlEvents_Mod_3737_EventID_105223_EventDate_2026Apr09" href="https://www.manc  
hesternh.gov/City-Of-Manchester/ModuleID/3737/ItemID/105223/mctl/EventDetails" style  
="color:White;">Manchester Devel...
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 4.48 (foreground color: #ffffff, background color: #228848, font size: 12.8pt (17px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: /[Departments/Assessors](#) [WCAG 1.4.3](#)

Element:

```
<strong>View GIS Map </strong>
```



SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #0000ff, background color: #a9a9a9, font size: 11.3pt (15px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3 ⚡

Page: /[Departments/Assessors/Assessor-Calendar](#) [WCAG 1.4.3](#)

Element:

```
<td class="EventSelectedDay EventTodayDay EventDay" align="center" valign="top">28<d  
iv class="EventDayScroll"></div></td>
```

**SONDE FIX PLAN**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: <https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum>

HIGH

Console warning: JQMIGRATE: jQuery.expr[":"] is now jQuery.expr.pseudos

**Page:** /**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: JQMIGRATE: jQuery.fn.load() is deprecated

**Page:** /Business-Center**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: JQMIGRATE: jQuery.fn.load() is deprecated

**Page:** /Business-Center/Area-Profile**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy

header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated



Page: </Business-Center/Inspections-Permits-and-Apps>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated



Page: </Business-Center/Ordinances-and-Regulations>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated



Page: </Contact-Us>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated**Page:** [/Departments](#)**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated**Page:** [/Departments/Airport](#)**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.expr[":"] is now jQuery.expr.pseudos**Page:** [/Departments/Airport/Departmental-Expenditures](#)**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated**Page:** [/Departments/Assessors](#)

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH**Console warning: JQMIGRATE: jQuery.fn.load() is deprecated****Page:** [/Departments/Assessors/Abatements-and-Appeals](#)**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH**Console warning: JQMIGRATE: jQuery.expr[":"] is now jQuery.expr.pseudos****Page:** [/Departments/Assessors/Assessor-Calendar](#)**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH**Console warning: JQMIGRATE: jQuery.expr[":"] is now jQuery.expr.pseudos****Page:** [/Departments/Assessors/Assessor-FAQ](#)**Source:**

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: JQMIGRATE: jQuery.fn.load() is deprecated

Page: </Departments/Assessors/Assessor-Responsibilities>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: JQMIGRATE: jQuery.fn.load() is deprecated

Page: </Departments/Assessors/Contact-Assessors-Office>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: JQMIGRATE: jQuery.expr[":"] is now jQuery.expr.pseudos

Page: </Departments/Assessors/Departmental-Expenditures>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Focus jumps backward from "More News" to "Slime-of-the-Month Club" (visual distance: 591px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: / [WCAG 2.4.3](#)

Element:

```
<a>Slime-of-the-Month Club</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Subdivision / Notice of Merger" to "Business License" (visual distance: 1448px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: [/Business-Center/Inspections-Permits-and-Apps](#) [WCAG 2.4.3](#)

Element:

```
<a>Business License</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH

Focus jumps backward from "Unlicensed Family Day Care Home - Life Safety Inspection" to "Community Loan Fund" (visual distance: 559px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3 

Page: [/Business-Center/Inspections-Permits-and-Apps](#) [WCAG 2.4.3](#)

Element:

```
<a>Community Loan Fund</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: / [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: /[Business-Center](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Business-Center](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Business-Center](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Business-Center/Area-Profile](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Business-Center/Area-Profile](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Area-Profile> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Ordinances-and-Regulations> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Ordinances-and-Regulations> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Business-Center/Ordinances-and-Regulations> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: [/Contact-Us](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Contact-Us](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Contact-Us](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Contact-Us](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: [/Contact-Us](#) [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Airport> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Airport> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Airport> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Airport> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Airport> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Airport/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Assessor-Calendar> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Assessor-Calendar> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Assessor-Calendar> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Assessor-Calendar> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```



SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2 

Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose.

WCAG 4.1.2



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 4.1.2](#)

Element:

```
<!-- a11y: role="generic" -->
```

**SONDE FIX PLAN**

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/](#)

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div class="container">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div class="HomeBannerServices">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<a class="weatherwidget-io" data-basecolor="#4074c7" data-font="Roboto" data-label_1="MANCHESTER" data-label_2="WEATHER" data-lowcolor="#ffffff" data-mode="Current" data-raincolor="#ffffff" data-theme...
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div class="DnnModule DnnModule-efforityWF_HTML DnnModule-10482">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```

<div class="row">
  <div class="col-xs-12">
    <div class="ContainerHeader">
      <h1><span id="dnn_ctr3737_dnnTITLE_titleLabel" class
="Head">Official City Events Calendar </span>

</h1>

    </div>
    ...

```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/](#)

Element:

```
<h5>Absentee Ballot</h5>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div class="DnnModule DnnModule-efforityWF_HTML DnnModule-8028">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div class="DnnModule DnnModule-DNN_Reports DnnModule-10490">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div class="medium_text">Welcome To Manchester</div>
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center](#)

Element:

```
<div id="dnn_BannerPane" class="BannerPane">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/Business-Center](#)

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Area-Profile](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center/Area-Profile](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/Business-Center/Area-Profile](#)

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Area-Profile](#)

Element:

```
<h4 class="FirstHeading">Location</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/Business-Center/Inspections-Permits-and-Apps](#)

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Inspections-Permits-and-Apps](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center/Inspections-Permits-and-Apps](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Inspections-Permits-and-Apps](#)

Element:

```
<h4 class="FirstHeading">Permits and Applications</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center/Ordinances-and-Regulations](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Ordinances-and-Regulations](#)

Element:

```
<h3 class="ContainerTitle"><span id="dnn_ctr8367_dnnTITLE_titleLabel" class="Head">E
xternal Links</span>

</h3>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/Business-Center/Ordinances-and-Regulations](#)

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Ordinances-and-Regulations](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Sustainability-Manchester](#)

Element:

```
<h4 class="FirstHeading">View the City of Manchester's Accomplishments and Enerty Ef  
ficiency Initiatives:</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/Business-Center/Sustainability-Manchester](#)

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

**SONDE FIX PLAN**

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Business-Center/Sustainability-Manchester](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center/Sustainability-Manchester](#)

Element:

```
<div id="dnn_BannerPane" class="BannerPane">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Business-Center/Sustainability-Manchester](#)

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Contact-Us](#)

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Contact-Us](#)

Element:

```
<h5>Airport</h5>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments](#)

Element:

```
<h5>Airport</h5>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Departments](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Departments](#)

Element:

```
<div id="dnn_BannerPane" class="BannerPane">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments](#)

Element:

```
<h5>Airport</h5>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments/Airport](#)

Element:

```
<h3 class="ContainerTitle"><span id="dnn_ctr10652_dnnTITLE_titleLabel" class="Head">
Transportation Links</span>
```

```
</h3>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Airport>

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Airport>

Element:

```
<div id="dnn_BannerPane" class="BannerPane">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Airport>

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Airport/Departmental-Expenditures>

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Airport/Departmental-Expenditures>

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Assessors>

Element:

```
<h4 class="FirstHeading">Public GIS Map Viewer</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Assessors>

Element:

```
<div id="dnn_BannerPane" class="BannerPane">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Departments/Assessors](#)

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments/Assessors](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments/Assessors/Abatelements-and-Appeals](#)

Element:

```
<h4 class="FirstHeading">Introduction to Assessment Appeals (Abatelements)</h4>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Departments/Assessors/Abatelements-and-Appeals](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments/Assessors/Abatements-and-Appeals](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: [/Departments/Assessors/Assessor-Calendar](#)

Element:

```
<h4 class="widget_title">City Hall</h4>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/Departments/Assessors/Assessor-Calendar](#)

Element:

```
<div class="CityWrap">
```

**SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Assessors/Assessor-FAQ>

Element:

```
<h4 class="widget_title">City Hall</h4>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Assessors/Assessor-FAQ>

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Assessors/Assessor-Responsibilities>

Element:

```
<h4 class="widget_title">City Hall</h4>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Assessors/Assessor-Responsibilities>

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Assessors/Contact-Assessors-Office>

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Assessors/Contact-Assessors-Office>

Element:

```
<h4 class="widget_title">City Hall</h4>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Assessors/Contact-Assessors-Office>

Element:

```
<h5>Assessors Office Personnel</h5>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </Departments/Assessors/Departmental-Expenditures>

Element:

```
<div class="CityWrap">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid



Page: </Departments/Assessors/Departmental-Expenditures>

Element:

```
<h4 class="widget_title">City Hall</h4>
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/ WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/ WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: [/ WCAG 1.4.1](#)**Element:**

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: [/ WCAG 1.4.1](#)**Element:**

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: [/ WCAG 1.4.1](#)**Element:**

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: /[Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: /[Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Area-Profile](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Inspections-Permits-and-Apps](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Ordinances-and-Regulations](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Business-Center/Sustainability-Manchester](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Sustainability-Manchester> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Sustainability-Manchester> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Business-Center/Sustainability-Manchester> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Contact-Us](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Airport](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Airport](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Airport](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Airport](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Airport/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Abatements-and-Appeals> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Calendar> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-FAQ> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Assessors/Assessor-Responsibilities](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Assessors/Assessor-Responsibilities](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Assessors/Assessor-Responsibilities](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Contact-Assessors-Office> [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Assessors/Departmental-Expenditures](#) [WCAG 1.4.1](#)

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Assessors/Departmental-Expenditures](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/Departments/Assessors/Departmental-Expenditures](#) [WCAG 1.4.1](#)

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </Departments/Assessors/Departmental-Expenditures> [WCAG 1.4.1](#)

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Console warning: JQMIGRATE: jQuery.fn.load() is deprecated



Page: </Business-Center/Sustainability-Manchester>

Source:

https://www.manchesternh.gov/Resources/libraries/jquery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61

MEDIUM**SONDE FIX PLAN**

Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

 

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"NH Dept of Environmental Services" is visually at position 20 but receives focus at position 73 (drift: 53).

WCAG 2.4.3



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 2.4.3](#)

Element:

```
<a>NH Dept of Environmental Services</a>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Taxi License" is visually at position 22 but receives focus at position 65 (drift: 43).

WCAG 2.4.3



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 2.4.3](#)

Element:

```
<a>Taxi License</a>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"NH Small Business Develop. Center" is visually at position 32 but receives focus at position 76 (drift: 44).

WCAG 2.4.3



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 2.4.3](#)

Element:

```
<a>NH Small Business Develop. Center</a>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

"Day Care Facility Request for Inspection" is visually at position 27 but receives focus at position 66 (drift: 39).

WCAG 2.4.3



Page: </Business-Center/Inspections-Permits-and-Apps> [WCAG 2.4.3](#)

Element:

```
<a>Day Care Facility Request for Inspection</a>
```

**SONDE FIX PLAN**

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM

Page requires horizontal scrolling at 320px width (21px overflow).
Content should reflow without horizontal scrolling at this width.

WCAG 1.4.10 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.10](#)

Element:

```
<html>
```

**SONDE FIX PLAN**

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.12](#)

Element:

```
<label for="searchBox" class="sr-only">Search</label>
```

**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.12](#)

Element:

```
<div aria-live="polite" id="lc-aria-announcer-polite" tabindex="-1" style="height: 1px; width: 1px; margin: -1px; overflow: hidden; white-space: nowrap; border: 0px; padding: 0px; position: absolute;">
```

**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 671px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12 

Page: </Departments/Assessors/Assessor-Responsibilities> [WCAG 1.4.12](#)

Element:

```
<span id="unibox-controls-description" style="position:absolute;width:1px;height:1px;padding:0;margin:-1px;overflow:hidden;clip:rect(0,0,0,0);border:0" class="unibox-sr-only" tabindex="-1">Use the up
```

**SONDE FIX PLAN**

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Stuck loading state: loading indicator CSS class on <button> persists after page readiness



Page: </Contact-Us>

Element:

```
<button type="button" data-loading-text="Please wait..." data-name="Submit" class="btn submit form-button af-btn-loading btn-normal btn-info " id="dnn11060Su
```

MEDIUM

Stuck loading state: loading indicator CSS class on <button> persists after page readiness



Page: </Departments/Assessors/Contact-Assessors-Office>

Element:

```
<button type="button" data-loading-text="Please wait..." data-name="Submit" class="btn submit form-button af-btn-loading btn-normal btn-info " id="dnn11073Su
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: </Business-Center>

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW	Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts	  
Page: /Business-Center/Area-Profile Element: <pre>Code of Ordinances</pre>		
LOW	Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts	  
Page: /Business-Center/Inspections-Permits-and-Apps Element: <pre>Code of Ordinances</pre>		
LOW	Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts	  
Page: /Business-Center/Ordinances-and-Regulations Element: <pre>Code of Ordinances</pre>		
LOW	Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts	  
Page: /Business-Center/Sustainability-Manchester Element: <pre>Code of Ordinances</pre>		
LOW	Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts	  
Page: /Contact-Us Element: <pre>Code of Ordinances</pre>		

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Airport](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Airport/Departmental-Expenditures](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors/Abatements-and-Appeals](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors/Assessor-Calendar](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors/Assessor-FAQ](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors/Assessor-Responsibilities](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors/Contact-Assessors-Office](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

LOW

Broken link: <https://codelibrary.amlegal.com/codes/manchester/latest/overview> returned status 403 Forbidden after 1 attempts



Page: [/Departments/Assessors/Departmental-Expenditures](#)

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of Ordinances</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S / (S + P/N))$$

where S = sensitivity (750), P = $\Sigma(\text{weight} \times \text{count})$, N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (vO.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

 [View Findings Data](#)

 [Track Changes](#)

 [Nominate a Site](#)

 [Report a Scanning Issue](#)