



Sonde

Accessibility Health Check

<https://minnehahacounty.org>

910



Excellent

April 28, 2026

Provided free by Sonde

<https://daylight.sonde.life/usgov/minnehahacounty-org/>

9 pages | **381** findings | **10** critical | **116** high | **206** medium | **49** low | **42.3** avg/page |
4,222 elements | **185** with findings | **95.6%** ECR | **3m 22s** total | **22.4s** per page

Top Findings

[Copy a direct link to share a finding](#) · [Open a discussion to give feedback on a finding](#)

Insufficient color contrast: 1.37:1 (required: 4.5:1 for normal text).



CRITICAL Foreground: rgba(0, 0, 0, 0.26), background: rgb(220, 220, 220). Text: "View Today" WCAG 1.4.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.4.3

Element:

```
<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedDefault MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-colorDefault Mui-disabled MuiButton-root Mu
```

1.37:1 x CURRENT **4.50:1** ✓ SUGGESTED

 → 

#bdbdbd on #dcdcdc #626161 on #dcdcdc

SONDE FIX PLAN
Current ratio: 1.37:1 (need 4.5:1). Change foreground from #bdbdbd to #626161 (ratio: 4.5:1). Or change background from #dcdcdc to #ffffff.

Insufficient color contrast: 1.19:1 (required: 4.5:1 for normal text).



CRITICAL Foreground: rgb(34, 34, 34), background: rgb(13, 17, 23). Text: "Search this site" WCAG 1.4.3

Page: </dept/rd/forms/forms.php> WCAG 1.4.3

Element:

```
<label for="q" class="visually-hidden">Search this site</label>
```

1.19:1 x CURRENT **4.53:1** ✓ SUGGESTED

 → 

#222222 on #0d1117 #7c7c7b on #0d1117

SONDE FIX PLAN
Current ratio: 1.19:1 (need 4.5:1). Change foreground from #222222 to #7c7c7b (ratio: 4.5:1). Or change background from #0d1117 to #000000.

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH WCAG 1.1.1

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-269" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-266" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-247" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1 ⚡



attribute does not exist, references elements that do not exist or
references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-274" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-211" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-220" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-221" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-296" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-275" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-286" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-292" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-215" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following:
aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-271" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following:
aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmlb-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmlb-skeletonLoader clerk-simple-191 clerk-simple-194" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmlb-skeletonLoader clerk-simple-191 clerk-simple-214" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-236" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-257" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-219 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-246 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-258" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-196" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1 ⚡



attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-212" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-226" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-235" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1 ⚡

HIGH

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-264 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE FIX PLAN
Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1 ⚡

HIGH

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-284" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE FIX PLAN
Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1 ⚡

HIGH

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-263" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-259" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...</pre>
```




SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-290" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-224" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-228 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-238" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-245" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;..."></span></span>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prml-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prml-skeletonLoader clerk-simple-191 clerk-simple-255 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prml-skeletonLoader clerk-simple-191 clerk-simple-298" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:
<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-248" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:
<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-281" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:
<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-195" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-209" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-293" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-244" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-254" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-289" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-213" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-223" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-294" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-229" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-295" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1 ⚡



attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-283" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2



Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-250" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1



attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-222" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-230" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

HIGH

WCAG 4.1.2 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```



SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

HIGH

WCAG 1.1.1 ⚡



attribute does not exist, references elements that do not exist or
references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-280" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-277" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-299" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-249" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-217" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-197" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-208" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-233" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-241" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-273 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-287" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-297" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-262" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-265" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-193" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-210 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-231" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1 ⚡



attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-237 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-300" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-218" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-227" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-253" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>



HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-260" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:
<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-278" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:
<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-282 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:
<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-272" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-285" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-276" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-267" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-256" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-239" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See:

<https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-240" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-242" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-251" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br>...
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby

WCAG 1.1.1 ⚡



attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-268" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-301" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

HIGH

WCAG 1.1.1 ⚡



Page: </commission/meetingInfo/meetingInfo.php> WCAG 1.1.1

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-291 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...</pre>
```



SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: WCAG 4.1.2 ⚡

aria-label attribute cannot be used on a div with no valid role attribute.

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.2](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmb1-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE FIX PLAN
Ensure ARIA attributes are not prohibited for an element's role. See: <https://www.w3.org/WAI/WCAG22/Understanding/name-role-value>

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1 ⚡

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.1.1](#)

Element:

```
<span class="prmb1-skeletonLoader clerk-simple-191 clerk-simple-232" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE FIX PLAN
Ensure every ARIA progressbar node has an accessible name. See: <https://www.w3.org/WAI/WCAG22/Understanding/non-text-content>

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'style') at Spry.Widget.TabbedPanels.showPanel (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:384:18) at Spry.Widget.TabbedPanels.attachBehaviors (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:398:7) at new Spry.Widget.TabbedPanels (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:75:7) at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:401:11 at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:434:3 MEDIUM

Page: [/](#)

Source: <https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:383>

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy

header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

`<a>Agendas, Minutes & Video`



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Choose date" to "Announcement" (visual distance: 414px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 2.4.3

Element:

`<div>Announcement</div>`



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "For the Record" to "South Dakota Vital Records Request (Birth, Death and Marriage" (visual distance: 425px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /dept/rd/forms/forms.php WCAG 2.4.3

Element:

`<a>South Dakota Vital Records Request (Birth, Death and Marriage`



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 2.4.3

Element:

<a>Agendas, Minutes & Video



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Mortgage Foreclosure Results" (visual distance: 807px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> WCAG 2.4.3

Element:

<a>Mortgage Foreclosure Results



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH

Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Contact Form" (visual distance: 724px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: </dept/so/mostWanted/mostWanted.php> WCAG 2.4.3

Element:

<a>Contact Form



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: </residents/mediaReleases/mediaReleases.php> WCAG 2.4.3

Element:

<a>Agendas, Minutes & Video



SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH

Missing Strict-Transport-Security header (HSTS)

Page: </commission/meetingInfo/meetingInfo.php>



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)



Page: </dept/rd/forms/forms.php>



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)



Page: </dept/so/divisions/em/history/history.php>



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)



Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>



SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)






Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>







SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Strict-Transport-Security header (HSTS)   




Page: </dept/so/mostWanted/mostWanted.php>

 **SONDE FIX PLAN**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Strict-Transport-Security header (HSTS)   




Page: </residents/boardsCommissions/boardsCommissions.php>

 **SONDE FIX PLAN**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)   

Page: </residents/mediaReleases/mediaReleases.php>


 **SONDE FIX PLAN**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer




MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: [/](#)

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>




MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: [/](#)

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>




MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: [/](#)

Element:

```
<div id="mclogo">  
    
</div>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>




MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: [/](#)

Element:

```
<div id="endLink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: [/](#)

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

 **SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<div id="seal">
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<h1 class="visually-hidden">Minnehaha County, South Dakota Official Website</h1>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: [/](#)

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM


Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: [/](#)

Element:

```
<html lang="en" class=" js ">
```


 **SONDE FIX PLAN**
Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<div id="seal">  
  
</div>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<aside aria-label="Filter to events from a specific date range">
```

 **SONDE FIX PLAN**
Ensure the complementary landmark or aside is at top level. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>  
</li>
```

 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM ARIA role should be appropriate for the element: Fix any of the following: ARIA role toolbar is not allowed for given element

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<section class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row MuiGrid2-spacing-xs-1 prmb1-grid clerk-simple-kbfj7k" role="toolbar" aria-label="Filters, Search, and Jump to Today button">
```

SONDE FIX PLAN
Ensure role attribute has an appropriate value for the element. See: <https://www.w3.org/WAI/WCAG22/quickref/> Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<div class="column">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-185 prmb1-typogra  
phy clerk-simple-1ivutjb" id="eventListRow-undefined-title" aria-label="Event Name">
```



SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.



Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<aside aria-label="Navigate to events from a specific date">
```



SONDE FIX PLAN

Ensure the complementary landmark or aside is at top level. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<div id="endLink">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:


<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<div class="prmb1-buttonGroup clerk-simple-15 clerk-simple-20 clerk-simple-16">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/rd/forms/forms.php>

Element:

```
<div class="column">
```

 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/rd/forms/forms.php>

Element:

```
<div id="seal">  
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/rd/forms/forms.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/rd/forms/forms.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/rd/forms/forms.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM


All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/rd/forms/forms.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/rd/forms/forms.php>

Element:

```
<div id="endLink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/em/history/history.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/em/history/history.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/em/history/history.php>

Element:

```
<div id="seal">  
</div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/em/history/history.php>

Element:

```
<div id="endLink">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/em/history/history.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/em/history/history.php>

Element:

```
<div class="column">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/so/divisions/em/history/history.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<div id="seal">
</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM


All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks






Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<div id="endLink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>




MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>




MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<div class="column">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks   

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<div id="endLink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

 **SONDE FIX PLAN**

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<div class="column">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<div id="seal">

</div>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>


MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mostWanted/mostWanted.php>

Element:

```
<div id="seal">  
</div>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mostWanted/mostWanted.php>

Element:

```
<div class="column">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mostWanted/mostWanted.php>

Element:

```
<div id="endLink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </dept/so/mostWanted/mostWanted.php>

Element:

```
<div id="hlink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<div id="endLink">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<div id="seal">  
  
</div>
```

 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<div class="column">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM


All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<div class="column">
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See:
<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<div id="seal">  
  
</div>
```


 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<div id="endLink">
```

 **SONDE FIX PLAN**
Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)


Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1 

Page: / [WCAG 1.4.1](#)


Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1 

Page: / [WCAG 1.4.1](#)


Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1 

Page: / [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

differences may not identify this as a link.

Page: [/commission/meetingInfo/meetingInfo.php](#) WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/commission/meetingInfo/meetingInfo.php](#) WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/dept/rd/forms/forms.php](#) WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1



Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1



Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1



Page: [/dept/rd/forms/forms.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </dept/rd/forms/forms.php> WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </dept/rd/forms/forms.php> WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </dept/so/divisions/em/history/history.php> WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/dept/so/divisions/em/history/history.php](#) WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/dept/so/divisions/em/history/history.php](#) WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: [/dept/so/divisions/em/history/history.php](#) WCAG 1.4.1


Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1 


Page: [/dept/so/divisions/em/history/history.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

 **SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1 


Page: [/dept/so/divisions/em/history/history.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

 **SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1 

Page: [/dept/so/divisions/em/history/history.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

 **SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: [/dept/so/divisions/em/history/history.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: [/dept/so/divisions/em/history/history.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: [/dept/so/divisions/em/history/history.php](#) [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.


Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

 **SONDE FIX PLAN**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.


Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

 **SONDE FIX PLAN**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.


Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

 **SONDE FIX PLAN**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mostWanted/mostWanted.php> WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mostWanted/mostWanted.php> WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </dept/so/mostWanted/mostWanted.php> WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </dept/so/mostWanted/mostWanted.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

differences may not identify this as a link.

Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/boardsCommissions/boardsCommissions.php> WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </residents/mediaReleases/mediaReleases.php> WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </residents/mediaReleases/mediaReleases.php> WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </residents/mediaReleases/mediaReleases.php> WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 1.4.1](#)

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav -->
```



SONDE FIX PLAN

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3



Page: </dept/rd/forms/forms.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav -->
```



SONDE FIX PLAN

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: </dept/so/divisions/em/history/history.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```



SONDE FIX PLAN

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: </dept/so/divisions/jail/courtroomJ/courtroomJ.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```



SONDE FIX PLAN

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```



SONDE FIX PLAN

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3



Page: </dept/so/mostWanted/mostWanted.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```



SONDE FIX PLAN

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3



Page: </residents/boardsCommissions/boardsCommissions.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav -->
```



SONDE FIX PLAN

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3



Page: </residents/mediaReleases/mediaReleases.php> [WCAG 3.2.3](#)

Element:

```
<!-- missing: nav -->
```



SONDE FIX PLAN

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Clicking "21" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled=""
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "2" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled=""
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "6" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled=""
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "22" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "12" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "24" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "7" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "17" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "14" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "4" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "3" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled=""
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "16" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled=""
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "10" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled=""
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "13" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "15" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "26" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root Mui-selected MuiPickersDay-dayWithMargin clerk-simple-54 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="true" tit
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM Clicking "20" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: </commission/meetingInfo/meetingInfo.php> WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "8" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "9" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with `aria-live="polite"` (or `role="status"/"alert"`) so assistive technologies announce the change.

MEDIUM

Clicking "27" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "23" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 4.1.3](#)

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```



SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Content clipped by 8px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.12](#)

Element:

```
<div class="MuiCollapse-root" style="min-height: 80px;"><div class="MuiCollapse-wrapper"><div class="MuiCollapse-wrapperInner"><div class="MuiGrid2-root MuiGrid2-direction-xs-row prml-grid clerk-simp
```



SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12



Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.12](#)

Element:

```
<legend class="clerk-simple-14lo706"><span>Search</span></legend>
```



SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 40px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: </commission/meetingInfo/meetingInfo.php> [WCAG 1.4.12](#)

Element:

```
<div class="MuiGrid2-root MuiGrid2-direction-xs-row prmb1-grid clerk-simple-68 clerk-simple-124fws5" id="AnnouncementWrapper" role="region" aria-label="Announcement"><div class="MuiTypography-root MuiTy
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 78px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: </dept/rd/forms/forms.php> [WCAG 1.4.12](#)

Element:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: </dept/rd/forms/forms.php> [WCAG 1.4.12](#)

Element:

```
<label for="q" class="visually-hidden">Search this site</label>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Stuck loading state: loading indicator CSS class on <div> persists after page readiness

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<div class="clerk-simple-76 prml-autocomplete__placeholder clerk-simple-1jq780-pla  
ceholder" id="react-select-2-placeholder">Type or select an event category to filte  
r...</div>
```

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role region is not allowed for given element



Page: [/](#)

Element:

```
<main id="importantNotice" role="region" aria-label="Important Notices" tabindex="-  
1">
```



SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

LOW

Broken link: <http://siouxlandlib.org/> returned status 403 Forbidden after 1 attempts



Page: [/](#)

Element:

```
<a href="http://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW

Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts



Page: [/](#)

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio  
n</a>
```

LOW

Link timeout: <https://www.gotwarrants.org/> did not respond within 5000ms after 5 attempts



Page: [/](#)

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW

Broken link: <http://www.911metro.org/> returned status 403 Forbidden after 1 attempts



Page: [/](#)

Element:

[Metro Communications](http://www.911metro.org/)

LOW

Broken link: <https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf> returned status 404 Not Found after 1 attempts

Page: [/](#)

Element:

[Conditional Use Permit](https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf)

LOW

Broken link: <https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236> returned status 403 Forbidden after 1 attempts

Page: [/](#)

Element:

[Assessed Values](https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236)

LOW

Broken link: <https://siouxlandlib.org/> returned status 403 Forbidden after 1 attempts

Page: [/](#)

Element:

[Siouxland Libraries](https://siouxlandlib.org/)

LOW

Broken link: <https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf> returned status 404 Not Found after 1 attempts

Page: [/](#)

Element:

[Birth, Death or Marriage Application](https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf)

LOW

Broken link: <https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236> returned status 403 Forbidden after 1 attempts

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236">Assessed Values</a>
```

LOW Broken link: <https://siouxlandlib.org/> returned status 403 Forbidden after 1 attempts

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: <https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf> returned status 404 Not Found after 1 attempts

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Link timeout: <https://www.gotwarrants.org/> did not respond within 5000ms after 5 attempts

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Page: </commission/meetingInfo/meetingInfo.php>

Element:











```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```



















LOW Broken link: <https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf> returned status 404 Not Found after 1 attempts

Page: </commission/meetingInfo/meetingInfo.php>

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

<p>LOW</p>	<p>Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts</p>	 
<p>Page: /dept/rd/forms/forms.php</p>		
<p>Element:</p> <pre data-bbox="159 392 1324 481">Conditional Use Permit</pre>		
<hr/>		
<p>Broken link:</p>		
<p>LOW</p>	<p>https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts</p>	 
<p>Page: /dept/rd/forms/forms.php</p>		
<p>Element:</p> <pre data-bbox="159 795 1324 884">Birth, Death or Marriage Application</pre>		
<hr/>		
<p>Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts</p>		
<p>LOW</p>		 
<p>Page: /dept/rd/forms/forms.php</p>		
<p>Element:</p> <pre data-bbox="159 1176 1324 1220">Got Warrants</pre>		
<hr/>		
<p>Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts</p>		
<p>LOW</p>		 
<p>Page: /dept/rd/forms/forms.php</p>		
<p>Element:</p> <pre data-bbox="159 1534 1324 1624">Assessed Values</pre>		
<hr/>		
<p>Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts</p>		
<p>LOW</p>		 
<p>Page: /dept/rd/forms/forms.php</p>		
<p>Element:</p> <pre data-bbox="159 1915 1324 2004">Renew Motor Vehicle Registration</pre>		

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts	  
Page: /dept/rd/forms/forms.php	
Element:	
<pre>Siouxland Libraries</pre>	
LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts	  
Page: /dept/so/divisions/em/history/history.php	
Element:	
<pre>GotWarrants.org</pre>	
LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts	  
Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php	
Element:	
<pre>GotWarrants.org</pre>	
LOW Broken link: https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf returned status 404 Not Found after 1 attempts	  
Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php	
Element:	
<pre>FAQ link</pre>	
LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts	  
Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php	
Element:	
<pre></pre>	
LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts	  
Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php	
Element:	

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW

Broken link: <https://twitter.com/MinnehahaCounty> returned status 403 Forbidden after 1 attempts

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW

Link timeout: <http://www.gotwarrants.org/> did not respond within 5000ms after 2 attempts

Page: </dept/so/mortgageForeclosures/mortgageForeclosures.php>

Element:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW

Link timeout: <http://www.gotwarrants.org/> did not respond within 5000ms after 2 attempts

Page: </dept/so/mostWanted/mostWanted.php>

Element:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW

Broken link: <https://twitter.com/MinnehahaCounty> returned status 403 Forbidden after 1 attempts

Page: </dept/so/mostWanted/mostWanted.php>

Element:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW

Link timeout: <https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/> did not respond within 5000ms after 3 attempts

Page: </dept/so/mostWanted/mostWanted.php>

Element:



```
<a href="https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/">Contact Form</a>
```

LOW Link timeout: <https://www.gotwarrants.org/> did not respond within 5000ms after 5 attempts  

Page: </dept/so/mostWanted/mostWanted.php>

Element:


```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: <http://www.nws.noaa.gov/com/weatherreadynation/> returned status 403 Forbidden after 1 attempts  

Page: </dept/so/mostWanted/mostWanted.php>

Element:



```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Link timeout: <http://www.gotwarrants.org/> did not respond within 5000ms after 2 attempts  

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:



```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Broken link: <https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236> returned status 403 Forbidden after 1 attempts  

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:



```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236">Assessed Values</a>
```

LOW Broken link: <https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf> returned status 404 Not Found after 1 attempts  

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Link timeout: <https://www.siouxlandmuseums.com/index.php/home-page/museum-board/> did not respond within 5000ms after 3 attempts  

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://www.siouxlandmuseums.com/index.php/home-page/museum-board/">Museum Board</a>
```

LOW Broken link: <https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf> returned status 404 Not Found after 1 attempts

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: <https://www.gotwarrants.org/> did not respond within 5000ms after 5 attempts

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: <https://siouxlandlib.org/> returned status 403 Forbidden after 1 attempts

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: <https://www.siouxfalls.gov/government/boards-commissions/library-board-trustees> returned status 403 Forbidden after 1 attempts

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://www.siouxfalls.gov/government/boards-commissions/library-board-trustees">Library Board of Trustees</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

Page: </residents/boardsCommissions/boardsCommissions.php>

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: <https://siouxlandlib.org/> returned status 403 Forbidden after 1 attempts

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: <https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf> returned status 404 Not Found after 1 attempts

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Link timeout: <https://www.gotwarrants.org/> did not respond within 5000ms after 5 attempts

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: <http://www.gotwarrants.org/> did not respond within 5000ms after 2 attempts

Page: </residents/mediaReleases/mediaReleases.php>

Element:



```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Broken link: <https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf> returned status 404 Not Found after 1 attempts

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

Broken link: <https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236> returned status 403 Forbidden after 1 attempts  

LOW

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236">Assessed Values</a>
```

Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts  

LOW

Page: </residents/mediaReleases/mediaReleases.php>

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio  
n</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S / (S + P/N))$$

where S = sensitivity (750), P = $\Sigma(\text{weight} \times \text{count})$, N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

 [View Findings Data](#)

 [Track Changes](#)

 [Nominate a Site](#)

 [Report a Scanning Issue](#)