



Sonde

Accessibility Health Check

<https://section508.gov>

987



Excellent

April 28, 2026




Provided free by Sonde

<https://daylight.sonde.life/usgov/section508-gov/>


20 pages | **178** findings | **0** critical | **20** high | **133** medium | **25** low | **8.9** avg/page |
5,333 elements | **21** with findings | **99.6%** ECR | **3m 22s** total | **10.1s** per page




Top Findings

[Copy a direct link to share a finding](#) · [Open a discussion to give feedback on a finding](#)


HIGH Missing Content-Security-Policy header   




Page: [/](#)

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/dhs.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/ed.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/fcc.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/fhwa.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/frith-chet.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/gsa.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   




Page: </contributors/haileselassie.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer


HIGH Missing Content-Security-Policy header   

























Page: </contributors/hhs.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header   

Page: </contributors/lovley.html>

 **SONDE FIX PLAN**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header	  
Page: /contributors/martin-beth.html	
 SONDE FIX PLAN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer	
HIGH Missing Content-Security-Policy header	  
Page: /contributors/mcgland-denise.html	
 SONDE FIX PLAN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer	
HIGH Missing Content-Security-Policy header	  
Page: /contributors/nasa.html	
 SONDE FIX PLAN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer	
HIGH Missing Content-Security-Policy header	  
Page: /contributors/opm.html	
 SONDE FIX PLAN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer	
HIGH Missing Content-Security-Policy header	  
Page: /contributors/procter.html	
 SONDE FIX PLAN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer	
HIGH Missing Content-Security-Policy header	  
Page: /contributors/sirk.html	
 SONDE FIX PLAN	

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header



Page: </contributors/smith-frances.html>



SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header



Page: </contributors/sweeney-kate.html>



SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header



Page: </contributors/usab.html>



SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </contributors/>

Element:

```
<div id="contributor-tab" class="contribs-tab">
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </contributors/>

Element:

<p>This site includes content developed in collaboration with other agencies and/or content that is directly contributed by members of the federal IT accessibility community. Our growing list of cont...



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark



Page: </contributors/>

Element:

```
<html lang="en" class="">
```



SONDE FIX PLAN

Ensure the document has a main landmark. See: <https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks



Page: </contributors/>

Element:

```
<p>We welcome any feedback and suggestions for improvement. We also welcome suggestions for new content and updates to existing content. If you have suggestions, or if you are interested in contributi...
```



SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:

<https://www.w3.org/WAI/WCAG22/quickref/>

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/ WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: / [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: [/contributors/](#) [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1


Page: </contributors/> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1


Page: </contributors/> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/dhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/dhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/dhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/dhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/dhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/dhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/dhs.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Homeland Security<span class="appended-url"> (https://www.section508.gov/contributors/d
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/ed.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/ed.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Education<span class="appended-url"> (https://www.section508.gov/contributors/ed.html)</
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/ed.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/ed.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors)</span></a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/ed.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </contributors/ed.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </contributors/ed.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </contributors/fcc.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/fcc.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/fcc.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/fcc.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fcc.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fcc.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/fcc.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Federal Communications Commission<span class="appended-url"> (https://www.section508.gov/contributors
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fhwa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fhwa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fhwa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fhwa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/fhwa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Federal Highway Administration<span class="appended-url"> (https://www.section508.gov/contributors/f
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fhwa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/fhwa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/frith-chet.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </contributors/frith-chet.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/frith-chet.html" class="usa-breadcrumb__link" data-url-appended="true">Chet Frith<span class="appended-url"> (https://www.section508.gov/contributors/frith-chet.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </contributors/frith-chet.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1

Page: </contributors/frith-chet.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </contributors/frith-chet.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </contributors/frith-chet.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

MEDIUM

Page: </contributors/gsa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/gsa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/gsa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

**MEDIUM**

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/gsa.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/gsa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">General Services Administration<span class="appended-url"> (https://www.section508.gov/contributors/g
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/gsa.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/gsa.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.



MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/haileselassie.html> WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="usa-breadcrumb__link" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.gov/contributors/haileselassie
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sirk
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1 

Page: </contributors/haileselassie.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/hhs.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/hhs.html> WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/hhs.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/hhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/hhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/hhs.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Health and Human Services<span class="appended-url"> (https://www.section508.gov/contri
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/hhs.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/lovley.html> WCAG 1.4.1

Element:

```
<a href="/contributors/lovley.html" class="usa-breadcrumb__link" data-url-appended="true">Rebecca Lovley<span class="appended-url"> (https://www.section508.gov/contributors/lovley.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/lovley.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/lovley.html> WCAG 1.4.1

Element:

```
<a href="/contributors/lovley.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Rebecca Lovley<span class="appended-url"> (https://www.section508.gov/contributo
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/lovley.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/lovley.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: </contributors/lovley.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/lovley.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/martin-beth.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contribu
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/martin-beth.html> WCAG 1.4.1

Element:

```
<a href="/contributors/martin-beth.html" class="usa-breadcrumb__link" data-url-appended="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contributors/martin-beth.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/mcgland-denise.html> WCAG 1.4.1

Element:

```
<a href="/contributors/mcgland-denise.html" class="usa-breadcrumb__link" data-url-appended="true">Denise McGland<span class="appended-url"> (https://www.section508.gov/contributors/mcgland-denise.html
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/mcgland-denise.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/mcgland-denise.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/mcgland-denise.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Denise McGland<span class="appended-url"> (https://www.section508.gov/co
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/mcgland-denise.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="a  
ppended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/mcgland-denise.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contr  
ibutors<span class="appended-url"> (https://www.section508.gov/contributors/)</span>  
</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/mcgland-denise.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navi  
gate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/mcgland-denise.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/nasa.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/nasa.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/nasa.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/nasa.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/nasa.html> WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/nasa.html> WCAG 1.4.1

Element:

```
<a href="/contributors/nasa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">National Aeronautics and Space Administration<span class="appended-url"> (https://www.section508.gov
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/opm.html> WCAG 1.4.1

Element:

```
<a href="/contributors/opm.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Office of Personnel Management<span class="appended-url"> (https://www.section508.gov/contributors/op
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/opm.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/opm.html> WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/opm.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/opm.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/opm.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/procter.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contribut
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/procter.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/procter.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/procter.html> WCAG 1.4.1

Element:

```
<a href="/contributors/procter.html" class="usa-breadcrumb__link" data-url-appended="true">Justen Procter<span class="appended-url"> (https://www.section508.gov/contributors/procter.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/procter.html> WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/procter.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/procter.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contribut
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/procter.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sirk.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> WCAG 1.4.1

Element:

```
<a href="/contributors/sirk.html" class="usa-breadcrumb__link" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sirk.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> WCAG 1.4.1

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> [WCAG 1.4.1](#)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sirk
```




SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sirk.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1



Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1



Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/contributors/smith-frances.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Frances Smith<span class="appended-url">(https://www.section508.gov/cont
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

MEDIUM

WCAG 1.4.1



Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/contributors/smith-frances.html" class="usa-breadcrumb__link" data-url-appended="true">Frances Smith<span class="appended-url"> (https://www.section508.gov/contributors/smith-frances.html)</
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/smith-frances.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/sweeney-kate.html> WCAG 1.4.1

Element:

```
<a href="/contributors/sweeney-kate.html" class="usa-breadcrumb__link" data-url-appended="true">Kate Sweeney<span class="appended-url"> (https://www.section508.gov/contributors/sweeney-kate.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/sweeney-kate.html> WCAG 1.4.1

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/sweeney-kate.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/sweeney-kate.html> WCAG 1.4.1

Element:

```
<a href="/contributors/sweeney-kate.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Kate Sweeney<span class="appended-url"> (https://www.section508.gov/contri
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/sweeney-kate.html> WCAG 1.4.1

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sweeney-kate.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/sweeney-kate.html> [WCAG 1.4.1](#)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/usab.html> [WCAG 1.4.1](#)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/usab.html> WCAG 1.4.1

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/usab.html> WCAG 1.4.1

Element:

```
<a href="/contributors/usab.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">U.S. Access Board<span class="appended-url"> (https://www.section508.gov/contributors/usab.html)</span></a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: </contributors/usab.html> WCAG 1.4.1

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/usab.html> [WCAG 1.4.1](#)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1



Page: </contributors/usab.html> [WCAG 1.4.1](#)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</a>
```



SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

LOW

Broken link: <https://www.ssa.gov/accessibility/andi/help/install.html> returned status 403 Forbidden after 1 attempts



Page: /

Element:

```
<a href="https://www.ssa.gov/accessibility/andi/help/install.html">ANDI (Accessible Name & Description Inspector)</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: [/](#)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/dhs.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www2.ed.gov/about/landing.jhtml> returned status 404 Not Found after 1 attempts

Page: </contributors/ed.html>

Element:

```
<a href="https://www2.ed.gov/about/landing.jhtml">https://www2.ed.gov/about/ (https://www2.ed.gov/about/landing.jhtml)</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/ed.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/fcc.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://highways.dot.gov/about/about-fhwa> returned status 403 Forbidden after 1 attempts

Page: </contributors/fhwa.html>

Element:

```
<a href="https://highways.dot.gov/about/about-fhwa">https://highways.dot.gov/about/about-fhwa (https://highways.dot.gov/about/about-</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/fhwa.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/frith-chet.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/gsa.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/haileselassie.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.hhs.gov/about/index.html> returned status 403 Forbidden after 1 attempts

Page: </contributors/hhs.html>

Element:

```
<a href="https://www.hhs.gov/about/index.html">https://www.hhs.gov/about/ (https://www.hhs.gov/about/index.html)</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/hhs.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/lovley.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/martin-beth.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/mcgland-denise.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/nasa.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.opm.gov/about-us/our-mission-role-history/> returned status 404 Not Found after 1 attempts

Page: </contributors/opm.html>

Element:

```
<a href="https://www.opm.gov/about-us/our-mission-role-history/">https://www.opm.gov/about-us/our-mission-role-history/ (https://www.opm.gov/abou</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/opm.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/procter.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/sirk.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/smith-frances.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/sweeney-kate.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

LOW

Broken link: <https://www.gsa.gov/technology/government-it-initiatives/digital-strategy> returned status 404 Not Found after 1 attempts

Page: </contributors/usab.html>

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">
Digital Strategy</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S / (S + P/N))$$

where S = sensitivity (750), P = $\Sigma(\text{weight} \times \text{count})$, N = pages scanned


TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

 [View Findings Data](#)

 [Track Changes](#)

 [Nominate a Site](#)

 [Report a Scanning Issue](#)